



USB C TO USB A CABLE VERSION 3.1 GEN 2

- Achieve data transfer speeds of up to 10 Gbps (classed as super speed)

CODE	LENGTH
P288GA	0.3m
P288GB	0.5m
P288GC	1m
P288GD	1.5m
P288GE	2m



3m

T115BMA ELECTROVISION USB TO 6.35MM MONO JACK GUITAR INSTRUMENT LEAD 3M BLACK



REAN CONNECTORS

LOUDSPEAKER CABLE WITH 2 X 2.5MM CABLE WITH REAN SPEAKON PLUGS

CODE	LENGTH
NJS750	1m
NJS751	2m
NJS752	6m
NJS753	10m
NJS754	15m
NJS755	20m



CAT 8 SSTP RJ45 PATCH CABLE IN WHITE

CODE	LENGTH
P281KB	0.5m
P281KC	1m
P281KD	1.5m
P281KF	2m
P281KG	3m
P281KH	5m
P281KJ	7.5m
P281KL	10m
P281KN	20m



DISPLAY PORT TO HDMI PLUG 4K

- 4k ready
- Connect any device with a DP port such as a laptop, desktop or graphics card to any HDMI enabled device such as a HD TV, projector or monitor

CODE	LENGTH
T115BDC	2m
T115BDD	3m
T115BDE	5m



ULTRA HIGH SPEED HDMI 8K CABLE VERSION 2.1

- 10K ready, supports 8k and 4K
- Connects TV to playstation/X Box/ Blu Ray/ DVD and other devices

CODE	LENGTH
T115C	0.5m
T115CA	1m
T115CB	2m

COMPUTER

Firewire	1
USB	1
USB 3.0	2
USB 3.1	2

LIGHTING

DMX	3
-----------	---

MUSIC

Guitar	4
Microphone	6
Midi	8

SOUND

Speaker	8
---------------	---

SIGNAL

Adaptors	10
Audio	12
Patch	15

NETWORK

Cat. 8	15
Cat. 5	16

OPTICAL

Optical	17
---------------	----

TV & VIDEO

BNC	18
Coax	18
Display Port	20
F Connector	21
HDMI	21
HDMI 1.3	22
HDMI 1.4	22
HDMI 2.0	24
HDMI 2.1	25
Phono	26
Scart	26
SVHS	27
DIN	27

CABLES & LEADS

PRICES VALID UNTIL 29TH FEBRUARY 2024

ISSUE 03

FIREWIRE

Electrovision

P288AG
FIREWIRE 6 PIN MALE
TO 6 PIN MALE LEAD
2M


2m

Electrovision

P288AJ
FIREWIRE 4 PIN MALE
TO 4 PIN MALE LEAD
2M

2m

USB

**T115DK**

USB TO DC 5.5X2.1MM POWER CABLE SUPPLIED WITH 8 CONNECTORS - 1M CABLE

- USB to DC 5.5x2.1mm Power Cable
- Supplied with a 1m cable
- Supplied with 8 connectors - 6.4 x 4.4mm/6.3 x 3.0mm/ 5.5 x 2.5mm/5.5 x 2.1mm/5.5 x 1.7mm/4.8 x 1.7mm/ 4.0 x 1.7mm/3.5 x 1.35mm

Electrovision

1m



USB



Electrovision

T115DE
A MICRO USB PLUG TO DC
5.5X2.1 JACK SOCKET

USB MALE A TO USB
MALE B LEAD

Electrovision



USB MALE A TO USB
FEMALE A LEAD

Electrovision



CODE	LENGTH
P288	2m
P288AA	3m


CODE	LENGTH
P288AB	2m
P288AC	3m
P288AD	5m

Electrovision



USB MALE A TO
USB MINI B LEAD

CODE	LENGTH
P288AK	2m
P288BB	5m



Electrovision

P288AF
USB MALE A TO USB MALE B LEAD 3M



EAGLE USB A-MALE TO USB MICRO-B CABLE

- Versatile USB to Micro USB Adaptor Cable
- Compatible with a range of smartphones, external hard drives and tablets
- Constructed with tinned copper cable for durability

CODE	LENGTH
T115DA	1m
T115DB	2m
T115DC	3m
T115DD	5m



USB 2.0 TYPE C TO TYPE C CHARGE & SYNC CABLE 3 AMP

- Fast Charging and Syncing
- Reversible USB Type C with ABS shell
- Wide device compatibility
- 4 Convenient lengths
- High Quality Copper Cable

CODE	LENGTH
T115JAA	0.5m
T115JAB	1m
T115JAC	1.5m
T115JAD	2m



USB 3.0 A MALE TO USB 3.0 A MALE CABLE



USB 3.0 A MALE TO USB 3.0 B MALE CABLE



USB 3.0 A MALE TO USB 3.0 MICRO B MALE CABLE

- USB A Male to USB A Male 3.0 Cable
- Black Molded PVC
- Shell Nickel Plated

CODE	LENGTH
P288C	0.5m
P288CA	1m
P288CB	2m
P288CC	3m

- Designed for use with printers
- Fast data transfer
- Backwards compatible with versions 2.0 & 1.1

CODE	LENGTH
P288D	0.5m
P288DA	1m
P288DB	2m
P288DC	3m

- For use with a range of PC accessories
- Easy to use
- Fast data transfer up to 5gbps

CODE	LENGTH
P288E	0.5m
P288EA	1m
P288EB	2m
P288EC	3m

USB 3.1



Electrovision

USB C TO USB A CABLE VERSION 3.1 GEN 2

- Connect USB C enabled devices to USB A enabled devices
- Version 3.1 Gen 2
- Achieve data transfer speeds of up to 10 Gbps (classed as super speed)
- Reversible USB C connector - connect first time every time
- High quality components


CODE	LENGTH
P288GA	0.3m
P288GB	0.5m
P288GC	1m
P288GD	1.5m
P288GE	2m

SEE PAGE 15 FOR
NETWORK CABLES

DMX



REAN CONNECTORS




XLR TO XLR 3 PIN DMX CABLE

- Hi Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink/ Identification
- Nickel Plated Connectors

CODE	LENGTH
NJS730	1m
NJS731	3m
NJS732	5m
NJS733	10m



REAN CONNECTORS



XLR TO XLR 5 PIN DMX CABLE

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

CODE	LENGTH
NJS734	1m
NJS735	3m
NJS736	5m
NJS737	10m



DMX 3 PIN XLR LINE
PLUG TO 3 PIN XLR LINE
SOCKET LIGHTING LEAD

CODE	LENGTH
G038VB	1.5m
G038VC	3m
G038VD	6m
G038VE	10m
G038VF	20m



DMX 5 PIN XLR TO 5 PIN XLR
LIGHTING LEAD

CODE	LENGTH
G038VJA	6m
G038VKA	10m



G029
STANDARD RIGHT ANGLED
GUITAR LEAD WITH CURLY SCREENED CABLE
6M

6m



STANDARD GUITAR LEAD WITH METAL JACK
PLUGS AND CABLE PROTECTORS


- Ideal for connecting your guitar to FX/Amps
- Ideal for most electric guitars
- Quality screened cable
- 6.35mm mono jack/jack connectors

CODE	LENGTH
G032BA	3m
G032B	6m



STANDARD 6.35MM MONO JACK
PLUG TO 6.35MM MONO JACK PLUG
SCREENED LEAD

CODE	LENGTH
G030A	1m
G030	2m
G030B	6m



G032
SOUNDLAB MONO STANDARD GUITAR
LEAD WITH HEAVY DUTY METAL JACKS
AND CABLE PROTECTORS 6M

6m



3m

G031
STANDARD RIGHT
ANGLED GUITAR
LEAD WITH
STRAIGHT CABLE
3M





PREMIUM FLORESCENT COLOURED
GUITAR LEAD 6M

CODE	COLOUR
G032C	Pink
G032D	Orange
G032E	Green





REAN CONNECTORS


**MONO JACK TO MONO JACK GUITAR CABLE**

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink/ Identification
- Nickel Plated Connectors

CODE	LENGTH
NJS720	0.5m
NJS721	1.5m
NJS722	3m
NJS723	6m
NJS724	9m



REAN CONNECTORS

**MONO JACK TO MONO JACK RIGHT ANGLE GUITAR CABLE**

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

CODE	LENGTH
NJS725	3m
NJS726	6m



Electrovision

3m


T115BMA
ELECTROVISION
USB TO 6.35MM
MONO JACK GUITAR
INSTRUMENT LEAD
3M BLACK



Electrovision

3m

T115BMB
ELECTROVISION
USB-C TO 6.35MM
MONO JACK GUITAR
LEAD 3M BLACK



SoundLAB

STANDARD UNBALANCED
FLUORESCENT 3 PIN XLR TO 6.35MM
JACK PLUG MICROPHONE LEAD

6m

CODE	COLOUR
G033E	Yellow
G033G	Green
G033F	Red

**6m****SoundLAB**

STANDARD FLUORESCENT XLR TO
XLR MICROPHONE LEAD WITH
METAL CONNECTORS 6M

CODE	COLOUR
G033H	Yellow
G033J	Red
G033K	Green


**SoundLAB**

STANDARD 3 PIN XLR PLUG TO XLR
LINE SOCKET MICROPHONE LEAD 6M

6m

CODE	COLOUR
G113A	Black
G113G	Red

CODE	COLOUR
G113H	White
G113J	Blue
G113K	Yellow

**6m****SoundLAB**

STANDARD UNBALANCED 3 PIN XLR
TO 6.35MM JACK PLUG MICROPHONE
LEAD 6M


CODE	COLOUR
G113B	Black
G113C	Red
G113D	White
G113E	Blue
G113F	Yellow

**MORE MIC CABLES
ON THE NEXT PAGE**

MICROPHONE

SoundLAB

G113AA
STANDARD 3 PIN XLR
PLUG TO XLR LINE SOCKET
MICROPHONE LEAD 20M

20m**Electrovision**

T115BKA
ELECTROVISION USB TO 3 PIN
FEMALE XLR MICROPHONE
LEAD 3M BLACK

3m**Electrovision**

T115BKB
ELECTROVISION USB-C TO 3
PIN FEMALE XLR MICROPHONE
LEAD 3M BLACK




3m**NJS**
NEW JERSEY SOUND**REAN**
REAN CONNECTORS

CODE	LENGTH
NJS700	0.5m
NJS701	1.5m
NJS702	3m
NJS703	6m
NJS704	9m



**NJS NEW JERSEY SOUND XLR FEMALE
TO XLR MALE MICROPHONE CABLE**

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

**NJS**
NEW JERSEY SOUND**REAN**
REAN CONNECTORS

**XLR FEMALE TO 6.35MM MONO JACK MICROPHONE
CABLE**

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink/Identification
- Nickel Plated Connectors

CODE	LENGTH	TYPE
NJS705	1m	XLR female to 6.35mm mono jack
NJS706	6m	XLR female to 6.35mm mono jack
NJS707	9m	XLR female to 6.35mm mono jack
NJS705A	1m	XLR female to 6.35mm TRS jack



MALE XLR MALE TO 6.35MM MONO JACK MICROPHONE CABLE

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

CODE	LENGTH
NJS708	1m
NJS709	3m



Electrovision

PROFESSIONAL 5 PIN DIN TO 5 PIN DIN MIDI LEAD WITH SCREENED CABLE

CODE	LENGTH	COLOUR
G040AB	1.2m	White
G040	1.8m	Black
G040A	3m	Black
G040B	6m	Black



Electrovision

G040BB PROFESSIONAL 2M 5 PIN DIN PLUG TO 5 PIN DIN SOCKET MIDI LEAD WITH SCREENED CABLE

2m



SoundLAB

CODE	LENGTH
G038ZC	3m
G038ZD	4m
G038ZF	6m
G038ZG	10m

PREMIUM 2 POLE CONNECTOR TO 2 POLE CONNECTOR SPEAKER LEAD 2X 0.75MM CABLE EXTRA FLEX CABLE



SoundLAB

CODE	LENGTH
G038ZM	3m
G038ZN	4m
G038ZP	5m
G038ZR	10m

PREMIUM 2 POLE CONNECTOR TO 6.35MM MONO JACK PLUG CONNECTOR SPEAKER LEAD 2X 0.75MM CABLE

SPEAKER



REAN CONNECTORS


**LOUDSPEAKER CABLE WITH
2 X 1.5MM CABLE WITH REAN
SPEAKON PLUGS**

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

CODE	LENGTH
NJS740	1m
NJS741	2m
NJS742	6m
NJS743	10m
NJS744	15m
NJS745	20m



REAN CONNECTORS


**LOUDSPEAKER CABLE WITH 2
X 2.5MM CABLE WITH REAN
SPEAKON PLUGS**

- Hi Quality Rean Connectors
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

CODE	LENGTH
NJS750	1m
NJS751	2m
NJS752	6m
NJS753	10m
NJS754	15m
NJS755	20m



CODE	LENGTH
G035AB	3m
G035AC	6m
G035AD	10m

SoundLAB

**STANDARD 6.35MM JACK PLUG
TO 6.35MM JACK PLUG SPEAKER
LEADS WITH METAL JACKS AND
2X 0.75MM CABLE**

- Ideal for Light Duty Use



SoundLAB


**G038DB
PROFESSIONAL 6.35MM
MONO JACK PLUG TO 6.35MM
MONO JACK PLUG SPEAKER
LEAD WITH NEUTRIK JACKS
AND 2X 1.5MM HIGHFLEX
CABLE**


REAN CONNECTORS


**MONO JACK TO MONO JACK
1.5MM SPEAKER CABLE**

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

CODE	LENGTH
NJS761	1m
NJS762	2m
NJS763	6m





G113NA
1X XLR FEMALE TO 2X XLR MALE SPLITTER
 • 1x XLR Female to 2x XLR Male Splitter
 • Use in studios and live applications

SoundLAB



3.5MM STEREO PLUG TO 2 X 6.35MM MONO PLUGS SIGNAL CABLE
 • High Quality Rean Connectors
 • Braided Shield
 • Free Cable Tidy
 • Clear Heat-Shrink/ Identification
 • Nickel Plated Connectors

CODE	LENGTH
NJS770	1.5m
NJS771	3m
NJS772	5m



G113NB
1 XLR MALE TO 2 XLR FEMALE SPLITTER
 • 1x XLR Male to 2x XLR Female Splitter
 • Use in studios and live applications

SoundLAB



Electrovision

STANDARD 6.35 MM STEREO JACK PLUG TO 3.5MM STEREO JACK PLUG SCREENED LEAD

CODE	LENGTH
A119FWA	1.2m
A119FW	2m
A119FWB	5m



Electrovision

A120BA
STANDARD 2 X MONO 6.35MM JACK PLUGS 3.5MM STEREO JACK PLUG SCREENED LEAD

1.2m



Electrovision 1.2m

A119
STANDARD 6.35 MM STEREO JACK PLUG TO 2X 6.35 MM STEREO JACK SOCKETS SCREENED LEAD



Electrovision

STANDARD 6.35 MM STEREO JACK PLUG TO 6.35 MM STEREO JACK PLUG SCREENED LEAD

CODE	LENGTH
A119FYA	1.2m
A119FY	2m



Electrovision

A120E
STANDARD 6.35 MM STEREO JACK PLUG TO 2X 6.35 MM MONO JACK PLUGS SCREENED LEAD

2m



A120A
HEADPHONE EXTENSION KIT

- 3.5 mm Stereo jack plug to 3.5 mm stereo jack socket
- Adaptors: 6.35mm stereo plug to 3.5mm stereo socket, 3.5mm mono plug to 3.5mm stereo socket, 2.5mm mono plug to 3.5mm stereo socket, 3.5mm mono plug to 3.5mm stereo socket

Electrovision

6m

ADAPTORS

Electrovision



A120F
STANDARD 6.35 MM MONO JACK SOCKET TO
2 X 6.35 MM MONO JACK PLUGS SCREENED
LEAD

2m



STANDARD 6.35MM STEREO JACK
PLUG TO 2X PHONO PLUGS SCREENED LEAD


CODE	LENGTH	PACK SIZE
A119F	0.2m	Single
A119AB	1m	Single
A119A	2m	Single
ZA119A	2m	Box of 50
A119AA	5m	Single
ZA119AA	5m	Box of 25



2m

Electrovision

A119FA
STANDARD 6.35 MM MONO JACK
PLUG TO 2X PHONO PLUGS SCREENED LEAD



STANDARD 2X
6.35 MM MONO
JACK PLUGS TO 2
X PHONO PLUGS
SCREENED LEAD

CODE	LENGTH
A114G	1.5m
A119FS	5m

Electrovision




**3.5MM STEREO PLUG TO 2 X RCA PHONO
PLUGS SIGNAL CABLE**

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors



STANDARD 3.5 MM STEREO JACK PLUG TO
2 X PHONO PLUGS LEAD


CODE	LENGTH	PACK SIZE
A121B	1.2m	Single
ZA121B	1.2m	Box of 50
A121BA	5m	Single



**6.35MM PLUG (STEREO OR
MONO) TO 2 X RCA PHONO
PLUGS SIGNAL CABLE**

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

CODE	TYPE
NJS781	Stereo
NJS782	Mono


NJS
NEW JERSEY SOUNDREAN
REAN CONNECTORSNJS
NEW JERSEY SOUNDREAN
REAN CONNECTORS



3.5MM STEREO PLUG TO 2 X MALE XLR SIGNAL CABLE

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink/Identification
- Nickel Plated Connectors

CODE	LENGTH
NJS773	1.5m
NJS774	3m



STANDARD 3.5 MM MONO JACK PLUG TO 3.5MM MONO JACK PLUG LEAD - LENGTH 1.2M

CODE	LENGTH
A117	Single
ZA117	Box of 50



A118
STANDARD 3.5 MM MONO JACK PLUG TO PHONO PLUG LEAD



STANDARD 3.5 MM STEREO JACK PLUG TO 3.5MM STEREO JACK SOCKET LEAD



STANDARD 3.5 MM STEREO JACK PLUG TO 3.5MM STEREO JACK PLUG LEAD

CODE	LENGTH	PACK SIZE
A117B	0.23m	Single
A117A	1.2m	Single
ZA117A	1.2m	Box of 50
A117AA	5m	Single
A117AD	10m	Single

CODE	LENGTH	PACK SIZE
A121AC	1.5m	Single
A121A	3m	Single
ZA121A	3m	Box of 50
A121AA	5m	Single
A121AB	10m	Single



G110
STANDARD 6.35 MM MONO JACK PLUG TO 6.35MM MONO LINE SOCKET SCREENED LEAD

SoundLAB



3.5MM STEREO PLUG TO 3.5MM STEREO PLUG SIGNAL CABLE

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

CODE	LENGTH
NJS778	1.5m
NJS779	3m
NJS780	5m

AUDIO



Electrovision

STANDARD 2X PHONO PLUGS TO 2X PHONO PLUGS SCREENED LEAD

CODE	LENGTH	PACK SIZE
A114	1.2m	Single
ZA114	1.2m	Box of 50
A114AA	3m	Single
ZA114AA	3m	Box of 50
A114AC	5m	Single
ZA114AC	5m	Box of 50
A114AD	10m	Single
ZA114AD	10m	Box of 50



Electrovision

STANDARD 2X PHONO PLUGS TO 2X PHONO PLUGS SCREENED LEAD


CODE	LENGTH	PACK SIZE
A114A	1.2m	Single
ZA114A	1.2m	Box of 50
A114AB	3m	Single
A114AG	5m	Single



Electrovision

STANDARD PHONO PLUG TO 2X PHONO SOCKET SCREENED LEAD

CODE	LENGTH
A114AF	0.23m
A114AH	1.5m



Electrovision


A114AE
STANDARD PHONO PLUG TO PHONO SOCKET
SCREENED LEAD 5M



Electrovision

1.2m

A114B
STANDARD 2X RIGHT ANGLED PHONO
PLUGS TO 2X RIGHT ANGLED PHONO PLUGS
SCREENED LEAD 1.2M



Electrovision

0.8m

A114C
PREMIUM 2X GOLD PLATED PHONO PLUGS TO
2X GOLD PLATED PHONO PLUGS SCREENED
LEAD 0.8M



Electrovision

PREMIUM 2X GOLD PLATED PHONO PLUGS TO
2X GOLD PLATED PHONO PLUGS SCREENED
LEAD

CODE	LENGTH
B050	0.5m
B051	1m
A114D	1.8m
B052	2m
B053	4m
B054	5m



Electrovision

1.2m

STANDARD 2X PHONO PLUGS TO 2X PHONO PLUGS SCREENED LEAD WITH EARTH 1.2M


CODE	PACK SIZE
A114E	Single
ZA114E	Box of 50



1.8m

Electrovision


A114F
STANDARD 2X PHONO PLUGS TO 2 X
STACKABLE PHONO PLUGS SCREENED LEAD
1.8M



Electrovision

STANDARD PHONO PLUG TO
PHONO PLUG SCREENED LEAD

CODE	LENGTH
A118A	1.2m
A118B	5m



Electrovision


STANDARD PHONO PLUG TO
2X PHONO PLUGS SCREENED LEAD

CODE	LENGTH
A118C	1.2m
A118D	5m



Electrovision

A114P
STANDARD 3X PHONO PLUGS TO 3X PHONO
PLUGS SCREENED LEAD



Electrovision

1.2m

A115
STANDARD 4X PHONO PLUGS
TO 4X PHONO PLUGS SCREENED LEAD 1.2M



6m

Electrovision

A120
STANDARD 6.35 MM STEREO JACK PLUG TO
6.35 MM STEREO JACK SOCKET LEAD WITH
CURLY CABLE SCREENED LEAD 6M



Electrovision

1.8m

A118E
STANDARD PHONO PLUG TO 2X STACKABLE PHONO
PLUGS SCREENED LEAD 1.8M

NJS
NEW JERSEY SOUND

REAN CONNECTORS



**2X RCA PHONO TO 2X RCA PHONO PLUG
SIGNAL CABLE**

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

CODE	LENGTH
NJS790	0.5m
NJS791	1m
NJS792	3m
NJS793	6m
NJS794	10m



SoundLAB

STANDARD 5 CORE SCREENED
REPLACEMENT COILED LEAD

CODE	LENGTH
G112	1.8m
G112A	3m

PATCH


SoundLAB



STANDARD 3 PIN XLR LINE SOCKET
TO 3 PIN XLR LINE PLUG SCREENED
LEAD 1M

1m

CODE	COLOUR
G113MA	Red
G113MB	Yellow
G113MC	Blue
G113MD	Black



SoundLAB

STANDARD ASSORTED COLOURED 6.35MM
RIGHT ANGLED JACK PLUG TO 6.35MM RIGHT
ANGLED JACK PLUG SCREENED LEADS (6)

CODE	LENGTH
G030G	0.3m
G030J	0.6m



SoundLAB

STANDARD ASSORTED COLOURED 6.35MM
JACK PLUG TO 6.35MM JACK PLUG SCREENED
PATCH LEADS (6)

CODE	LENGTH
G113CB	0.3m
G113CC	1m

DIN



Electrovision


T118D
STANDARD RIGHT ANGLED 8 PIN MINI DIN PLUG
TO RIGHT ANGLED 8 PIN MINI DIN PLUG SCREENED
LEAD 1M

1m

CAT 8

**CAT 8 SFTP RJ45 PATCH
CABLE IN WHITE**


- Ideal for use with computers, laptops, network printers, switches, routers, games consoles and modems
- Well suited to data centres and server rooms - upgrade your set up without the need for new equipment
- Gold plated connectors
- RJ45 connections on each end



Electrovision



CODE	LENGTH
P281KB	0.5m
P281KC	1m
P281KD	1.5m
P281KF	2m
P281KG	3m
P281KH	5m
P281KJ	7.5m
P281KL	10m
P281KN	20m



- Ideal for use with computers, laptops, network printers, switches, routers, games consoles and modems
- Gold plated connectors

Electrovision


**FLAT CAT 8 HIGH SPEED
2000MHZ ETHERNET LAN
CABLES**




CODE	LENGTH
P281LA	1m
P281LB	2m
P281LC	3m
P281LD	5m
P281LE	10m
P281LF	15m
P281LG	20m

CAT 8 SFTP RJ45 PATCH CABLE IN BLACK

- Ideal for use with computers, laptops, network printers, switches, routers, games consoles and modems
- Well suited to data centres and server rooms - upgrade your set up without the need for new equipment
- Gold plated connectors
- RJ45 connections on each end



CODE	LENGTH
P282KB	0.5m
P282KC	1m
P282KD	1.5m
P282KF	2m
P282KG	3m
P282KH	5m
P282KJ	7.5m
P282KL	10m
P282KN	20m



- Ideal for use with computers, laptops, network printers, switches, routers, games consoles and modems
- Gold plated connectors

Electrovision**FLAT CAT 8 HIGH SPEED 2000MHZ ETHERNET LAN CABLE IN BLACK**


CODE	LENGTH
P282LA	1m
P282LB	2m
P282LC	3m
P282LD	5m
P282LE	10m
P282LF	15m
P282LG	20m

Electrovision**PATCH CABLE RJ45**

- Gold plated connectors on each end
- CCA (Copper Clad Aluminium)
- T568B



CODE	LENGTH
P281FA	0.5m
P281FB	1m
P281FC	1.5m
P281FD	2m
P281FE	3m
P281FF	5m
P281FG	10m
P281FH	20m
P281FI	30m



SEE PAGE 21
FOR HDMI
LEADS



CAT 5

Electrovision**ELECTROVISION
BLACK STRAIGHT
RJ45 CABLE TO RIGHT
ANGLED UPWARDS
FACING RJ45 CABLE**

- Ideal for use with computers, laptops, network printers, switches, routers, games consoles and modems
- Two male RJ45 connections on each end (straight to right angled)
- Right Angled RJ45 offers a solution in limited space areas
- CCA (Copper Clad Aluminium)



CODE	LENGTH
P281G	0.5m
P281GA	1m
P281GB	2m
P281GC	3m
P281GD	5m

Electrovision**STRAIGHT RJ45 CABLE
TO RIGHT ANGLED
DOWNWARDS FACING
RJ45 CABLE**

- Ideal for use with computers, laptops, network printers, switches, routers, games consoles and modems
- Two male RJ45 connections on each end (straight to right angled)
- Right Angled RJ45 offers a solution in limited space areas
- CCA (Copper Clad Aluminium)



CODE	LENGTH
P281H	0.5m
P281HA	1m
P281HB	2m
P281HC	3m
P281HD	5m

Electrovision**ELECTROVISION
BLACK RIGHT ANGLED
RJ45 CABLE TO RIGHT
ANGLED RJ45 CABLE**

- Ideal for use with computers, laptops, network printers, switches, routers, games consoles and modems
- Two male RJ45 connections on each end (right angled to right angled)
- Right Angled RJ45 offers a solution in limited space areas
- CCA (Copper Clad Aluminium)



CODE	LENGTH
P281J	0.5m
P281JA	1m
P281JB	2m
P281JC	3m
P281JD	5m


OPTICAL

Electrovision**STANDARD 3.5 MM FIBRE
OPTIC PLUG TO 3.5MM FIBRE
OPTICAL PLUG OPTICAL LEAD
BLACK**

CODE	LENGTH
A131A	0.55m
A131B	1m

**Electrovision****1m****A131G
PREMIUM FIBRE OPTIC 2.15 MM CABLE 3.5MM
FIBRE OPTIC PLUG TO 3.5 MM FIBRE OPTIC
PLUG 1M****Electrovision****1m****A131ED
DIGITAL OPTICAL CABLE - TOSLINK WITH GOLD
PLATED CONTACTS 1M**

- Supplies digital optical audio
- Ideal for connecting soundbar to TV

Electrovision**1m****A131F
PREMIUM TOSLINK PLUG TO 3.5 MM FIBRE
OPTIC PLUG FIBRE OPTICAL LEAD 1M****Electrovision****A131E
PREMIUM TOSLINK PLUG TO TOSLINK PLUG
FIBRE OPTICAL LEAD 1M****1m****Electrovision****A132BJ
FIBRE OPTIC TOSLINK PLUG TO MINI
PLUG ADAPTOR**

1.2m

Electrovision

T107
STANDARD BNC PLUG TO
BNC PLUG CCTV LEAD,
1.2M



1.2m

Electrovision

T109
STANDARD BNC PLUG TO
PHONO PLUG LEAD



COAX

Electrovision

STANDARD COAXIAL PLUG TO COAXIAL PLUG TV AND
VIDEO LEAD WHITE



CODE	LENGTH	PACK SIZE
T105L	1m	Single
ZT105L	1m	Box of 50
T105	2m	Single
T104	4m	Single
ZT104	4m	Box of 50
T104B	10m	Single
ZT104B	10m	Box of 25



Electrovision

STANDARD COAXIAL PLUG TO COAXIAL SOCKET TV AND
VIDEO LEAD BLACK


CODE	LENGTH	PACK SIZE
T105AA	2m	Single
ZT105AA	2m	Box of 50
T105BA	4m	Single
ZT105BA	4m	Box of 50



Electrovision

STANDARD COAXIAL PLUG TO COAXIAL SOCKET TV AND
VIDEO LEAD WHITE

CODE	LENGTH	PACK SIZE
ZT105A	1.5m	Box of 50
T105A	2m	Single
T105G	3m	Single
T105B	4m	Single
ZT105B	4m	Box of 50
T105H	5m	Single
T105J	7.5m	Single
ZT105K	10m	Box of 25



2m

Electrovision

T105C
STANDARD COAXIAL
EXTENSION KIT

- Allowing the following alternatives: Coax plug to plug, coax socket to socket, coax plug to socket



COAX



2m


Electrovision

T105D
STANDARD COAXIAL PLUG TO COAXIAL PLUG
TV AND VIDEO LEAD BLACK



STANDARD RIGHT ANGLED COAXIAL PLUG TO
RIGHT ANGLED COAXIAL PLUG WHITE

CODE	LENGTH
T105PA	2m
T105PB	4m
T105PC	10m




STANDARD DIGITAL COAXIAL PLUG TO COAXIAL
PLUG TV AND VIDEO LEAD WITH FERRITE
RINGS WHITE

CODE	LENGTH	PACK SIZE
T105DA	2m	Single
ZT105DA	2m	Box of 50
T105DE	5m	Single
ZT105DE	5m	Box of 50
T105DH	10m	Single
ZT105DH	10m	Box of 25

Electrovision


STANDARD DIGITAL COAXIAL PLUG TO COAXIAL
SOCKET TV AND VIDEO LEAD WITH FERRITE
RINGS WHITE

CODE	LENGTH	PACK SIZE
T105DB	2m	Single
ZT105EC	4m	Box of 50



STANDARD RIGHT ANGLED COAXIAL PLUG TO
STRAIGHT COAXIAL PLUG WHITE


CODE	LENGTH
T105PD	2m
T105PE	4m
T105PF	10m



Electrovision

T106
STANDARD F TYPE PLUG TO COAX PLUG TV AND VIDEO LEAD WHITE

2m




Electrovision


STANDARD RIGHT ANGLED COAXIAL PLUG TO STRAIGHT COAXIAL PLUG BLACK

STANDARD RIGHT ANGLED COAXIAL PLUG TO RIGHT ANGLED COAXIAL PLUG BLACK

CODE	LENGTH
T105QA	2m
T105QB	4m
T105QC	10m



CODE	LENGTH
T105QD	2m
T105QE	4m
T105QF	10m



Electrovision

T115BY
DISPLAY PORT MALE TO HDMI FEMALE CONNECTOR

DISPLAY PORT TO HDMI PLUG 4K

- Display Port to HDMI Plug
- 4k ready
- Connect any device with a DP port such as a laptop, desktop or graphics card to any HDMI enabled device such as a HD TV, projector or monitor
- Available in various lengths

CODE	LENGTH
T115BDC	2m
T115BDD	3m
T115BDE	5m

Electrovision

T115BE
USB TYPE C TO DISPLAYPORT CABLE 4K 60HZ 1.5M

- DisplayPort Latching Plug
- 4K compatible

1.5m


DISPLAY PORT



T115BQ
DISPLAY PORT TO HDMI ADAPTER /
CONVERTER 0.15M
• Compact Design
• Features latches to ensure no accidental
disconnection




F CONNECTOR



STANDARD F TYPE PLUG TO F TYPE PLUG
TV AND VIDEO LEAD WHITE


CODE	LENGTH
T114BB	0.5m
T114BF	1m
T114B	2m
T114BG	3m
T114BH	5m
T114BJ	10m

HDMI



USB C 3.1 TO HDMI CABLE 4K,
RESOLUTION 3840 X 2160 @
30HZ

CODE	LENGTH
T115JBA	1m
T115JBB	1.5m
T115JBC	2m
T115JBD	3m



USB C TO HDMI CABLE 4K @
60HZ

CODE	LENGTH
T115JCA	1m
T115JCB	1.5m
T115JCC	2m
T115JCD	3m

HDMI

Electrovision**T115BG**
USB-C 3.1 TO HDMI
FEMALE

- 4k ready
- Connect devices with a USB-C port such as mobile phones and laptops to HDMI enabled devices such as HD TVs, monitors and projectors



HDMI 1.3

Electrovision**3m****PREMIUM DIGITAL SCREENED 3M HDMI**
TO HDMI TV AND VIDEO LEAD BLACK 3M

CODE	PACKAGING
T115AB	Bag & Header
ZT115AB	Unpackaged

Electrovision**T115BF**
HDMI TO VGA
FEMALE 1080P**0.2m**

HDMI 1.4

Electrovision**STANDARD 1.4 VERSION HDMI TO HDMI TV**
AND VIDEO LEAD

CODE	LENGTH
T115AF	1m
T115AH	3m
T115AS	15m
T115AT	20m

Electrovision**T115HA**
STANDARD HDMI PLUG TO 2 X HDMI SOCKETS
SPLITTER LEAD


- Ideal for connecting TV equipment

SEE PAGE 26 FOR
SCART LEADS

HDMI 1.4


T115AQA
PREMIUM DIGITAL SCREENED HDMI TO HDMI
TV AND VIDEO LEAD BLACK

- Supports full 1080p HD
- Stylish premium design
- Ultra HDMI High Speed with Ethernet
- Metal Housing



STANDARD 1.4 HDMI TO MINI
HDMI LEAD. CONTAINS HDMI
ETHERNET CHANNEL (HEC).
COMPATIBLE WITH 3D VIDEO
FORMATS

CODE	LENGTH
T115AM	1.5m
T115AN	2m
T115AP	3m


STANDARD HDMI 1.4 TO HDMI TV AND VIDEO LEAD BLACK

- Broadcasts quality digital video and audio
- Supports uncompressed audio/video signals
- Fully HDCP compliant to Provide highest level of signal quality
- Fully HDCP compliant to Provide highest level of signal quality
- Perfect for both high-definition video and standard video formats.


Electrovision

CODE	LENGTH
T115BK	0.5m
T115BL	1m
T115BLB	1.5m
T115BM	2m
T115BN	3m
T115BP	5m
T115BR	10m
T115BS	15m
T115BT	20m


STANDARD 1.4 VERSION HDMI TO HDMI TV
AND VIDEO LEAD WHITE

- Connects to TVs, DVD Players, Games Consoles, BluRay Players etc. with a HDMI Connection
- HDMI Version 1.4
- 24K Gold Plated
- Deep Colour 3D HDCP

CODE	LENGTH
T115BNA	3m
T115BPA	5m
T115BRA	10m



Electrovision


STANDARD
STRAIGHT
HDMI 1.4 TO
ANGLED HDMI
LEAD BLACK

CODE	LENGTH
T115BU	1m
T115BV	2m
T115BW	3m
T115BX	5m

**Electrovision**

STANDARD 1.4 DUAL PIVOTING HDMI TO HDMI TV AND VIDEO LEAD. CONTAINS HDMI ETHERNET CHANNEL

CODE	LENGTH
T115PA	1.5m
T115PC	5m

**Electrovision**

ELECTROVISION MICRO HDMI TO HDMI 1.4

- Micro HDMI to HDMI 1.4 version Lead, HD compliant up to 4k
- Ideal for use with a range of tablets, smartphones, TV's and PC's
- 3D TV Compatible

CODE	LENGTH
T115HM	1m
T115HMA	2m


**Electrovision**

CODE	LENGTH
T115BAAA	0.5m
T115BAA	1m
T115BAH	1.5m
T115BAB	2m
T115BAC	3m
T115BAD	5m
T115BAE	10m
T115BAF	15m
T115BAG	20m

ULTRA HIGH SPEED HDMI TO HDMI VERSION 2 TV LEAD WITH ETHERNET, 3D AND FULL 4K COMPATIBILITY (60HZ)


- 4K ready (Ideal for resolution up to 3840 x 2160p@60Hz)
- With Ethernet and 3K capability
- Various Lengths available

HDMI 2.0

**Electrovision****HDMI 2.0 (4K) MALE TO HDMI 2 (4K) SOCKET**

- HDMI Male to HDMI Socket
- 4k ready
- Connect HD TVs, PCs and monitors to gaming systems such as Xbox, PS4 and PS5

CODE	LENGTH
T115BBB	1m
T115BBC	2m
T115BBD	3m
T115BBE	5m

**Electrovision**

SEE PAGE 18 FOR
COAX LEADS



CODE	LENGTH
T115BHA	0.5m
T115BHB	1m
T115BHC	1.5m
T115BHD	2m
T115BHE	3m

ULTRA HIGH SPEED HDMI TO HDMI VERSION 2 TV LEAD WITH ETHERNET, 3D AND FULL 8K COMPATIBILITY (60HZ)

- 8K ready (Ideal for resolution up to 7,680 x 4,320p@60Hz)
- With Ethernet and 3K capability


HDMI 2.1

**ULTRA HIGH SPEED HDMI 8K CABLE VERSION 2.1**

- 10K ready, supports 8k and 4K
- Connects TV to playstation/X Box/Blu Ray/ DVD and other devices

CODE	LENGTH
T115C	0.5m
T115CA	1m
T115CB	2m




Electrovision
MINI DISPLAY PORT TO HDMI MALE 4K 60HZ

- 4k ready
- Connect any device with a DP port such as a laptop, iMac or Mac mini to any HDMI enabled device such as a HD TV, projector or monitor
- Available in various lengths

CODE	LENGTH
T115BEC	2m
T115BED	3m
T115BEE	5m


165mm
Electrovision
T115BZ
MINI DISPLAYPORT TO
HDMI FEMALE ADAPTER



PHONO


1.2m
Electrovision
T111
STANDARD PHONO
PLUG TO PHONO
PLUG VIDEO LEAD
Electrovision

PREMIUM VIDEO GOLD PLATED PHONO TO
PHONO LEAD WITH 75 OHM COAX CABLE

CODE	LENGTH
A115D	1.5m
A115C	2m

SCART


Electrovision
T113D
PREMIUM SCART PLUG TO SCART
PLUG TV AND VIDEO LEAD AUDIO
AND VIDEO CIRCUITS CONNECTED
1.5m

Electrovision
STANDARD SCART PLUG TO
SCART PLUG TV AND VIDEO
LEAD ALL PINS CONNECTED


CODE	LENGTH	PACKING
T113F	1.5m	Bag & Header
T113FA	3m	Bag & Header
ZT113F	1.5m	Box of 25
T113FB	5m	Bag & Header
T113FH	10	Bag & Header

SCART



Electrovision

STANDARD SCART PLUG TO SCART SOCKET TV AND VIDEO LEAD ALL PINS CONNECTED

CODE	LENGTH
T113FC	1.5m
T113FE	5m



T113L
STANDARD SCART PLUG TO 3 PHONO PLUGS TV AND VIDEO LEAD

Electrovision

1.5m



0.3m

Electrovision

T113Z
SCART INPUT EXPANDER
• 0.3m lead
• 2 scart sockets



0.3m

Electrovision

T113V
SCART INPUT EXPANDER
• 0.3m lead
• 3 scart sockets



0.3m

Electrovision

T113W
SCART INPUT EXPANDER
• 0.3m lead
• 5 scart sockets

SVHS



Electrovision

PREMIUM GOLD PLATED SVHS 4 PIN PLUG TO SVHS 4 PIN PLUG TV AND VIDEO LEAD

CODE	LENGTH
T118AA	2m
T118AE	3m
T118AF	5m
T118AG	10m

DIN



Electrovision


T118
STANDARD 8 PIN MINI DIN PLUG TO 2X PHONO PLUGS LEAD 3M



Electrovision

T118A
4 PIN MINI DIN PLUG TO 4 PIN MINI DIN PLUG TV AND VIDEO LEAD

[illegible]



STANDARD F TYPE PLUG TO F TYPE PLUG TV AND VIDEO LEAD WHITE

CODE	LENGTH
T114BB	0.5m
T114BF	1m
T114B	2m
T114BG	3m
T114BH	5m
T114BJ	10m



DMX 3 PIN XLR LINE PLUG TO 3 PIN XLR LINE SOCKET LIGHTING LEAD

CODE	LENGTH
G038VB	1.5m
G038VC	3m
G038VD	6m
G038VE	10m
G038VF	20m



3.5MM STEREO PLUG TO 2 X RCA PHONO PLUGS SIGNAL CABLE

- High Quality Rean Connectors
- Braided Shield

CODE	LENGTH
NJS775	1.5m
NJS776	3m
NJS777	5m




1X XLR FEMALE TO 2X XLR MALE SPLITTER

- Use in studios and live applications



NJS NEW JERSEY SOUND XLR FEMALE TO XLR MALE MICROPHONE CABLE

CODE	LENGTH
NJS700	0.5m
NJS701	1.5m
NJS702	3m
NJS703	6m
NJS704	9m



RJ45 PATCH CABLE


- Gold plated connectors

CODE	LENGTH
P281FA	0.5m
P281FB	1m
P281FC	1.5m
P281FD	2m
P281FE	3m
P281FF	5m
P281FG	10m
P281FH	20m
P281FI	30m



DIGITAL OPTICAL CABLE - TOSLINK WITH GOLD PLATED CONTACTS 1M

- Supplies digital optical audio
- Ideal for connecting soundbar to TV



STANDARD DIGITAL COAXIAL PLUG TO COAXIAL PLUG TV AND VIDEO LEAD WITH FERRITE RINGS WHITE

CODE	LENGTH	PACK SIZE
T105DA	2m	Single
ZT105DA	2m	Box of 50
T105DE	5m	Single
ZT105DE	5m	Box of 50
T105DH	10m	Single
ZT105DH	10m	Box of 25



A MICRO USB PLUG TO DC 5.5X2.1 JACK SOCKET

- Female 2.1mm jack socket to male micro USB plug
- Can be used for powering a device from a 5.5V 2.1mm DC power supply