


OCT 2024

# CABLES & LEADS



DESIGNED FOR EASY A4 PRINTING

**COMPUTER****Firewire**

Firewire 6 Pin Male to 6 Pin Male  
Lead 2m

P288AG

**2m**

Firewire 4 Pin Male to 4 Pin Male  
Lead 2m

P288AJ

**2m****COMPUTER****USB**

USB Male A to USB Female A Lead

P288

Length 2m

P288AA

Length 3m



USB Male A to USB Male B Lead

P288AB

Length 2m

P288AC

Length 3m

P288AD

Length 5m




USB Male A to USB Mini B Lead

P288AK

Length 2m

P288BB

Length 5m



Eagle USB A-Male to USB Micro-B  
Cable

T115DA

Length 1m

T115DB

Length 2m

T115DC

Length 3m

T115DD


Length 5m



**USB Micro to Lightning  
Adaptor**

- Connects your iPhone, iPad or iPod to micro USB cables and chargers

A111L



USB Male A to USB Male B Lead 3m

**2m**

P288AF



USB 2.0 to iPod/iPhone  
Transfer and Charge Cable

**1m**


A111B



**Electrovision USB-C to Lightning Fast Charging Cable 20W Lead**

- Supports 20W fast charging, allowing you to quickly charge your lightning-equipped devices.

A112LA	Length 1m
A112LB	Length 2m



**Electrovision USB-C Plug to USB-C Fast Charging 80W Lead**


- Supports fast charging with up to 80W of power, allowing you to quickly charge your USB-C devices.

A112EA	Length 1m
A112EB	Length 2m



**Electrovision USB-C to USB-A OTG Socket Adaptor Lead 65mm**

A112AC



**USB-C Plug to 3.5mm Stereo Socket and 20W Fast Charging USB-C Socket With Calling Capability Adaptor 45mm**


A112G



**COMPUTER  
USB**

**Electrovision Lightning to USB-A OTG Socket Adaptor 65mm**

A112AL



**Electrovision Lightning Plug to 20W Fast Charging Lightning Socket/lightning Audio Adaptor 65mm**

A112F

## COMPUTER USB



USB C Plug to DC 21 Jack Socket power Adaptor 5V

T115DN



Mini USB Plug to DC 21 Jack Socket power Adaptor


T115DM



Micro USB Plug to DC 21 Jack Socket power Adaptor

T115DE

### USB to DC 5.5x2.1mm Power Cable Supplied with 8 Connectors - 1m Cable



- USB to DC 5.5x2.1mm Power Cable
- Supplied with a 1m cable
- Supplied with 8 connectors - 6.4x4.4mm/6.3x3.0mm/5.5x2.5mm/5.5x2.1mm/5.5x1.7mm/4.8x1.7mm/4.0x1.7mm/3.5x1.35 mm

1m

T115DK



### USB to 3.5mm DC Plug Lead 2m

- 5V centre positive
- The DC plug has an internal diameter of 1.35mm

2m

A111R

## COMPUTER USB 2.0



1m

A111N

### Electrovision USB to USB C 2.0 charging cable 1m

- Supports data transfer, syncing and device charging

0.3m

A111K



### USB 2.0 Multi Transfer and Charging Cable including iPod/iPhone 5 Lightning Connector

1m


A111H



### USB 2.0 to Lightning Adaptor Charging Cable 5W

- USB 2.0 to Lightning adaptor charging cable for Apple devices





**USB 2.0 Type C to Type C,  
Charge & Sync Cable 3 Amp**

- Fast Charging and Syncing
- Reversible USB Type C with ABS shell
- Wide device compatibility
- USB-C plug with Nickel-plated

T115JAA	Length 0.5m
T115JAB	Length 1m
T115JAC	Length 1.5m
T115JAD	Length 2m



**USB 3.0 A Male to USB 3.0 B Male  
Cable**

- Designed for use with printers
- Fast data transfer
- Backwards compatible with versions 2.0 and 1.1

P288D	Length 0.5m
P288DA	Length 1m
P288DB	Length 2m
P288DC	Length 3m



**USB 3.0 A Male to USB 3.0 Micro B  
Male Cable**

- Designed for use with a range of PC accessories
- Fast data transfer up to 5gbps

P288E	Length 0.5m
P288EA	Length 1m
P288EB	Length 2m
P288EC	Length 3m

**COMPUTER**  
**USB 3.0**



**USB 3.0 A Male to  
USB 3.0 A Male Cable**

- Black Molded PVC
- Shell Nickel Plated

P288C	Length 0.5m
P288CA	Length 1m
P288CB	Length 2m
P288CC	Length 3m



**Lightning to 3 USB-3 Sockets  
and 20W lightning Fast Charging  
Socket OTG Adaptor 65mm  
Lead**

- 20W Fast Charging
- On-the-go (OTG) compatibility

0.65m

A112B



## COMPUTER USB 3.0

### Electrovision USB-C to 3 USB-4 Sockets and Socket OTG Adaptor 65mm Lead

- High-Speed Data Transfer: With USB 4.0 technology, you can transfer data at a speed of up to 40 Gbps, which is twice as fast as USB 3.2.
- OTG Functionality

A112C

0.65m



- The HDMI output supports up to 4K resolution, ensuring high-definition video and audio for an immersive viewing experience
- The USB-3 port allows for fast and reliable data transfer, making it ideal for transferring large files
- With 20W pass-through charging, you can charge your USB-C device while using the adaptor.

A112D

0.65m




### Electrovision USB-C Plug to USB-3 and HDMI Adaptor with 20W Pass Through Fast Charging 80mm Lead

## COMPUTER USB 3.1

P288GA	Length 0.3m
P288GB	Length 0.5m
P288GC	Length 1m
P288GD	Length 1.5m
P288GE	Length 2m

### USB C to USB A Cable, Version 3.1 Gen 2

- Achieve data transfer speeds of up to 10 Gbps (classed as super speed)
- Reversible USB C connector - connect first time every time
- High quality components



## NETWORK CAT 5

### Patch Cable RJ45

- Ideal for use with computers, laptops, network printers, switches, routers, games consoles and modems
- Gold plated connectors on each end
- CCA (Copper Clad Aluminium)
- Two male RJ45 connections on each end
- T568B

#### Bag and Header


P281FA	Length 0.5m
P281FB	Length 1m
P281FC	Length 1.5m
P281FD	Length 2m
P281FE	Length 3m
P281FF	Length 5m
P281FG	Length 10m
P281FH	Length 20m
P281FI	Length 30m

#### Loose Polybag

ZP281FA	Length 0.5m
ZP281FB	Length 1m
ZP281FC	Length 1.5m
ZP281FD	Length 2m
ZP281FE	Length 3m
ZP281FF	Length 5m
ZP281FG	Length 10m
ZP281FH	Length 20m
ZP281FI	Length 30m



Available  
in bag and  
header or  
loose polybag





**Black Straight RJ45 cable to Right Angled Upwards facing RJ45 cable**

- Ideal for use with computers, laptops, network printers, switches, routers, games consoles and modems
- Two male RJ45 connections on each end (straight to right angled)
- Right Angled RJ45 offers a solution in limited space areas
- CCA (Copper Clad Aluminium)

P281G	Length 0.5m
P281GA	Length 1m
P281GB	Length 2m
P281GC	Length 3m
P281GD	Length 5m



**Straight RJ45 cable to Right Angled Downwards facing RJ45 cable**

- Ideal for use with computers, laptops, network printers, switches, routers, games consoles and modems
- Two male RJ45 connections on each end (straight to right angled)
- Right Angled RJ45 offers a solution in limited space areas
- CCA (Copper Clad Aluminium)


P281H	Length 0.5m
P281HA	Length 1m
P281HB	Length 2m
P281HC	Length 3m
P281HD	Length 5m



**Black Right Angled RJ45 cable to Right Angled RJ45 cable**

- Ideal for use with computers, laptops, network printers, switches, routers, games consoles and modems
- Two male RJ45 connections on each end (right angled to right angled)
- Right Angled RJ45 offers a solution in limited space areas
- CCA (Copper Clad Aluminium)

P281J	Length 0.5m
P281JA	Length 1m
P281JB	Length 2m
P281JC	Length 3m
P281JD	Length 5m




- Ideal for use with computers, laptops, network printers, switches, routers, games consoles and modems
- Well suited to data centres and server rooms - upgrade your set up without the need for new equipment
- Gold plated connectors
- RJ45 connections on each end

**Cat 8 SFTP RJ45 Patch Cable**

White	
P281KB	Length 0.5m
P281KC	Length 1m
P281KD	Length 1.5m
P281KF	Length 2m
P281KG	Length 3m
P281KH	Length 5m
P281KJ	Length 7.5m
P281KL	Length 10m
P281KN	Length 20m

Black	
P282KB	Length 0.5m
P282KC	Length 1m
P282KD	Length 1.5m
P282KF	Length 2m
P282KG	Length 3m
P282KH	Length 5m
P282KJ	Length 7.5m
P282KL	Length 10m
P282KN	Length 20m



## NETWORK

### CAT 8

#### FLAT CAT 8 High Speed 2000Mhz Ethernet LAN Cables

- Ideal for use with computers, laptops, network printers, switches, routers, games consoles and modems
- Well suited to data centres and server rooms - upgrade your set up without the need for new equipment
- Gold plated connectors
- RJ45 connections on each end



#### White

P281LA	Length 1m
P281LB	Length 2m
P281LC	Length 3m
P281LD	Length 5m
P281LE	Length 10m
P281LF	Length 15m
P281LG	Length 20m

#### Black

P282LA	Length 1m
P282LB	Length 2m
P282LC	Length 3m
P282LD	Length 5m
P282LE	Length 10m
P282LF	Length 15m
P282LG	Length 20m

## NETWORK

### Ethernet Adaptors



#### USB to 2.5G Ethernet Adapter

- **2Gbps Fast Speed:** The Ethernet to USB Adaptor is 2.5x faster than 1Gbps Gigabit Ethernet and backward compatible with 10/100/1000Mbps. Connect to the internet via your USB device and enjoy high-speed, reliable internet up to 2.5 Gbps.
- **Wide Compatibility:** The USB Ethernet Adapter supports Windows 11 / 10 / 8.1 / 8 / 7 / Vista / XP, MacOS, Linux, etc. Just have your computer equipped with a USB port and you can plug in and use! Supports cross detection, automatic correction and WOL.

T115BZA



#### USB C to 2.5G Ethernet Adapter

- **Wide Compatibility:** The USB Type C to 2.5G Gigabit Network Adapter is compatible with MacBook Pro 2020/2019/2018/2017, MacBook Air 2020/2019/2018, MacBook, iPad Pro 2018, Dell XPS 13/15, Surface Pro 7, Surface Book 2, Surface Go, Pixelbook, MateBook,
- **Easy to Use:** The USB Type C / Thunderbolt 3 to RJ45 adapter supports Windows 10 / 8.1 / 8/7, MacOS, Linux, XP. Just have your computer equipped with a USB Type-C port and you can plug in and use!

T115BZB

### USB and USB Type C to Ethernet Adapter

- **Gigabit Ethernet Adapter:** Electrovision Ethernet Adapter is a USB 3.0 Gigabit Network Card, which allows you to access 10M/100M/1000M wired networks. adds an RJ45 Ethernet port to your computer with a USB 3.0 or USB-C port
- **Great Compatibility:** USB to 10/100/1000Mbps Network adapter not limited to USB/USB- C 3.0/2.0 devices, compatible with Windows 8.1/8/7/Vista/XP, Mac OSX 10.6 /10.7/10.8/10.9/10.10/10.11/10.12/11, Linux and Chrome OS, etc.
- **High Speed 1000Mbps:** This USB to Ethernet Adapter supports fast network speeds up to 1000Mbps, allows you to achieve fast network connection from computer to router, modem, or network switch.



T115BZC



### White RJ11-RJ11 ADSL MODEM CABLE

- Ideal replacement cable for modems requiring a pin to pin connection



### ADSL Modem Lead (US to US Plugs) with UK to US Adaptor

P283D	Length 3m
P283E	Length 5m
P283F	Length 10m

## TELECOMMUNICATIONS

### Modem Leads



### White BTM-RJ11 Modem Cable

- Compatible with most telephones and modems

P202F	Length 2m
P202G	Length 3m



### Telephone Extension Lead (BT Plug to BT Socket)

P202A	Length 3m
P202B	Length 5m
P202C	Length 10m
P202K	Length 15m
P202E	Length 20m

## TELECOMMUNICATIONS

### Telephone Extension Leads/Line Cords



### White Replacement Telephone Line Cord

P272A	Length 3m
P272B	Length 6m



## AUTOMOTIVE



0.6m

Crocodile Clips to  
Cigar Socket Power  
Lead 12V 0.6m

B036



2m

Cigar Socket to Cigar  
Plug Extension Lead  
12V

B038



Cooler Box Replacement 12V Lead

B037B

Length 2m

B037C

Length 5m



iPod In-Car Charger

A111D

## OPTICAL



Standard 3.5 mm Fibre Optic Plug  
to 3.5 mm Fibre Optical Plug Optical  
Lead Black

A131A

Length 0.55m

A131B

Length 1m



Premium Toslink Plug to Toslink  
Plug Fibre Optical Lead 1m

1m

A131E



Digital Optical Cable - Toslink with  
gold plated contacts 1m

- Supplies digital optical audio
- Ideal for connecting soundbar to TV

1m

A131ED



Premium Fibre Optic 2.15 mm Cable  
3.5mm Fibre Optic Plug to 3.5 mm  
Fibre Optical Plug 1m

1m

A131G



Fibre Optic Toslink Plug  
to Mini Plug Adaptor

A132BJ



**DMX 3 Pin XLR Line Plug to 3 Pin XLR Line Socket Lighting Lead**


G038VB	Length 1.5m
G038VC	Length 3m
G038VD	Length 6m
G038VE	Length 10m
G038VF	Length 20m



**DMX 5 Pin XLR to 5 Pin XLR Lighting Lead**

**6m**


**G038VJA**



**XLR to XLR 3 Pin DMX Cable**

- Hi Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

NJS730	Length 1m
NJS731	Length 3m
NJS732	Length 5m
NJS733	Length 10m



**XLR to XLR 5 Pin DMX Cable**

- Hi Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickle Plated Connectors

NJS734	Length 1m
NJS735	Length 3m
NJS736	Length 5m
NJS737	Length 10m



**Standard Right Angled Guitar Lead With Curly Screened Cable 6m**

**6m**

**G029**



**Standard 6.35 mm Mono Jack Plug to 6.35 mm Mono Jack Plug Screened Lead**

G030A	Length 1m	Single
ZG030A	Length 1m	Bulk Box of 25
G030	Length 2m	Single
G030B	Length 6m	Single

## MUSIC Guitar



Standard Right Angled Guitar Lead  
With Straight Cable 3m

6m

G031



SoundLAB Mono Standard Guitar  
Lead With Heavy Duty Metal Jacks  
and Cable Protectors 6m

6m

G032



Standard Guitar Lead  
With Metal Jack Plugs and  
Cable Protectors

- Ideal for connecting your guitar to FX/Amps
- Ideal for most electric guitars
- Quality screened cable

G032BA

Length 3m

Single

ZG032BA

Length 3m

Bulk Box of 50

G032B

Length 6m

Single



6m

Premium Florescent Coloured Guitar  
Lead 6m

- Made from Oxygen free cable for flexibility and clarity
- Ideal for band and general music use.

G032C

Pink

G032D

Orange


G032E

Green



Mono Jack to  
Mono Jack Guitar  
Cable

- Hi Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink /Identification
- Nickel Plated Connectors



NJS720

Length 0.5m

NJS721

Length 1.5m

NJS722

Length 3m

NJS723

Length 6m

NJS724

Length 9m



Mono Jack to Mono  
Jack Right Angle  
Guitar Cable

- Hi Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink /Identification
- Nickel Plated Connectors



NJS725

Length 0.5m

NJS726

Length 1.5m



## MUSIC Guitar



### Electrovision USB-C to 6.35mm Mono Jack Guitar Lead 3m Black

- Ideal for connecting your electronic instrument such as a guitar with a Mac, PC or laptop to allow recordings.
- Works with Mac, OS X, Windows 98se/2000/xp/vista/windows 7, Windows 8, Windows 10/ Android/ IPADs

3m

T115BMB



### Electrovision USB to 6.35mm Mono Jack Guitar Instrument Lead 3m Black

- Ideal for connecting your electronic instrument such as a guitar with a Mac, PC or laptop to allow recordings.
- Works with Mac, OS X, Windows 98se/2000/xp/vista/windows 7, Windows 8, Windows 10/ Android/ IPADs

3m



T115BMA



6m


Standard  
3 Pin XLR  
Plug to XLR  
Line Socket  
Microphone  
Lead 6m

G113A	Black	Single
ZG113A	Black	Bulk Box of 25
G113G	Red	Single
G113H	White	Single
G113J	Blue	Single
G113K	Yellow	Single



### NJS New Jersey Sound XLR Female to XLR Male Microphone Cable

- Hi Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors



NJS700	Length 0.5m
NJS701	Length 1m
NJS702	Length 3m
NJS703	Length 6m
NJS704	Length 9m



Standard 3 Pin  
XLR Plug to XLR Line  
Socket Microphone Lead 20m

20m

G113AA

## MUSIC

### Microphone



Standard Unbalanced 3 Pin XLR to 6.35 mm Jack Plug Microphone Lead

<b>ZG113C</b>	Black	3m	Bulk Box of 25
<b>G113B</b>	Black	6m	Single
<b>ZG113B</b>	Black	6m	Bulk Box of 25
<b>G113C</b>	Red	6m	Single
<b>G113D</b>	White	6m	Single
<b>G113E</b>	Blue	6m	Single
<b>G113F</b>	Yellow	6m	Single



Standard Unbalanced Fluorescent 3 Pin XLR to 6.35 mm Jack Plug Microphone Lead

<b>G033E</b>	Yellow
<b>G033G</b>	Green
<b>G033F</b>	Red



6m


6m Fluorescent XLR to XLR Microphone Lead With Metal Connectors

<b>G033H</b>	Yellow
<b>G033J</b>	Red
<b>G033K</b>	Red



XLR Female to 6.35mm Jack Microphone Cable

- Hi Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors



<b>NJS705</b>	1m	XLR female to 6.3mm Mono Jack
<b>NJS706</b>	6m	XLR female to 6.3mm Mono Jack
<b>NJS707</b>	9m	XLR female to 6.3mm Mono Jack
<b>NJS705A</b>	1m	XLR female to 6.3mm TRS Jack

## MUSIC Microphones



### Male XLR Male to 6.35mm Mono Jack Microphone Cable

- Hi Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

**NJS708** Length 1m

**NJS709** Length 3m



### Electrovision USB to 3 Pin Female XLR Microphone Lead 3m Black

- Ideal for connecting your microphone with a Mac, PC or laptop to allow recordings.
- Works with Mac, OS X, Windows 98se/2000/xp/vista/windows 7, Windows 8, Windows 10/ Android/ IPADS



### Electrovision USB-C to 3 Pin Female XLR Microphone Lead 3m Black

- Ideal for connecting your microphone with a Mac, PC or laptop to allow recordings.
- Works with Mac, OS X, Windows 98se/2000/xp/vista/windows 7, Windows 8, Windows 10/ Android/ IPADS



### Professional 5 Pin Din to 5 Pin Din Midi Lead with Screened Cable

<b>G040AB</b>	White	1.2m
<b>G040</b>	Black	1.8m
<b>G040A</b>	Black	3m
<b>G040B</b>	Black	6m




### Professional 2m 5 Pin Din Plug to 5 Pin Din Socket Midi Lead With Screened Cable

**2m**

**G040BB**

## MUSIC Midi



### Standard 6.35 mm Jack Plug to 6.35 mm Jack Plug Speaker Leads With Metal Jacks and 2x 0.75mm Cable

- Ideal for Light Duty Use

## SOUND Speaker

<b>G035AB</b>	3m	Single
<b>G035AC</b>	6m	Single
<b>G035AD</b>	10m	Single
<b>ZG035AD</b>	10m	Bulk Box of 25

SOUND  
Speaker



**Mono Jack to Mono Jack 1.5mm  
Speaker Cable**

- Hi Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

NJS761	Length 1m
NJS762	Length 2m
NJS763	Length 6m



**Professional 6.35 mm Mono Jack  
Plug to 6.35 mm Mono Jack Plug  
Speaker Lead With Neutrik Jacks  
and 2x 1.5mm Highflex Cable**

10m	G038DB
-----	--------



**Premium 2 Pole Connector  
to 6.35mm Mono Jack Plug  
Connector Speaker Lead  
2x 0.75mm Cable**

G038ZN	Length 4m
G038ZP	Length 5m
G038ZR	Length 10m



**Loudspeaker Cable with 2 x 1.5mm  
cable with REAN Speakon Plugs**

- Hi Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

NJS740	Length 1m
NJS741	Length 2m
NJS742	Length 6m
NJS743	Length 10m
NJS744	Length 15m
NJS745	Length 20m



**Premium 2 Pole Connector to  
2 Pole Connector Speaker Lead  
2x 0.75mm Cable Extra Flex Cable**

G038ZC	Length 3m
G038ZD	Length 4m
G038ZF	Length 6m
G038ZG	Length 10m



**Loudspeaker Cable with 2 x 2.5mm  
cable with REAN Speakon Plugs**

- Hi Quality Rean Connectors
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

NJS750	Length 1m
NJS751	Length 2m
NJS752	Length 6m
NJS753	Length 10m
NJS754	Length 15m
NJS755	Length 20m





1.2m

**Standard 3.5mm Mono Jack Plug to 3.5mm Mono Jack Plug Lead - Length 1.2m**

A117	Single
ZA117	Bulk Box of 50



**Standard 3.5mm Stereo Jack Plug to 3.5mm Stereo Jack Plug Lead**

A117B	0.23m	Single
A117A	1.2m	Single
ZA117A	1.2m	Bulk Box of 50
A117AA	5m	Single
A117AD	10m	Single



**Standard 3.5mm Stereo Jack Plug to 3.5mm Stereo Jack Socket Lead**

A121AC	1.5m	Single
A121A	3m	Single
ZA121A	3m	Bulk Box of 50
A121AA	5m	Single
A121AB	10m	Single



**iPod/iPhone/iPad Headphone Splitter 3.5mm plug to 2 x 3.5mm socket**

A111C

### Headphone Extension Kit

- 6.35mm stereo plug to 3.5mm stereo socket
- 3.5mm mono plug to 3.5mm stereo socket
- 2.5mm mono plug to 3.5mm stereo socket
- 3.5mm mono plug to 3.5mm stereo socket



A120A 6m



### 3.5mm Stereo Plug to 3.5mm Stereo Plug Signal Cable

- Hi Quality Rean Connectors
- Braided Shield • Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

NJS778	Length 1.5m
NJS779	Length 3m
NJS780	Length 5m



A102BJ 1m

**Standard 3.5mm Stereo Jack Plug to 2x 3.5mm Right Angled Mono Jack Plug Lead**



**3.5mm Stereo Socket to 5 x 3.5mm Stereo Sockets Adaptor**

A111E

## SIGNAL Audio



A111J



iPod/iPhone/iPad Headphone Splitter



Electrovision Lightning Plug to 3.5mm Stereo Jack Socket Adaptor 50mm Lead

A112H



Electrovision USB Type C to 3.5mm Audio Headphone Adaptor

A111NA



A111G

### USB Sound Adaptor

- Gives mic input and headphone output to USB devices



Lightning Plug to 3.5mm Stereo Jack Socket and 20W Fast Charging Lightning Socket with Calling Capability Adaptor 50mm Lead

A112J

- Allows you to connect your lightning-equipped device to headphones or speakers for high-quality audio.
- The 20W fast charging lightning socket provides quick charging for your lightning-equipped devices
- The adaptor supports calling functionality, allowing you to make phone calls using your lightning-equipped device



Standard 6.35mm Stereo Jack Plug to 6.35mm Stereo Jack Plug Screened Lead

A119FYA

Length 1.2m

A119FY

Length 2m



3.5mm Stereo Plug to 2 x 6.35mm Mono Plugs Signal Cable

- Hi Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

NJS770

Length 1.5m

NJS771

Length 3m

NJS772

Length 5m

Standard 6.35mm Stereo Jack Plug to 3.5mm Stereo Jack Plug Screened Lead

A119FWA

Length 1.2m

A119FW

Length 2m

A119FWB

Length 5m



Standard 2 x  
Mono 6.35mm Jack Plugs 3.5mm  
Stereo Jack Plug Screened Lead

1.2m

A120BA



Standard 6.35mm  
Mono Jack Plug to 6.35mm Mono  
Line Socket Screened Lead

6m

G110



Standard 6.35mm Stereo Jack  
Plug to 6.35mm Stereo Jack  
Socket Lead With Curly Cable  
Screened Lead 6m

6m

A120



1.2m

Standard 6.35mm  
Stereo Jack Plug to  
2x 6.35mm Stereo Jack Sockets  
Screened Lead

A119



2m

Standard 6.35mm Mono Jack  
Socket to 2 x 6.35mm Mono Jack  
Plugs Screened Lead

A120F



Standard 3.5mm  
Mono Jack Plug to Phono Plug Lead

1.2m

A118



Standard 3.5mm Stereo Jack Plug  
to 2x Phono Plugs Lead

A121B

Length 1.2m

ZA121B

Length 1.2m

A121BA

Length 5m



Standard 6.35mm Stereo Jack  
Plug to 2x 6.35mm Mono Jack  
Plugs Screened Lead

2m

A120E



3.5mm Stereo Plug to 2 x RCA  
Phono Plugs Signal Cable

- Hi Quality Rear Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

NJS775

Length 1.5m

NJS776

Length 3m

NJS777

Length 5m

## SIGNAL Audio



Standard 6.35mm Mono Jack Plug  
to 2x Phono Plugs Screened Lead

2m

A119FA



6.35mm Plug (Stereo or Mono) to  
2 x RCA Phono Plugs Signal Cable

- Hi Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

NJS781

Stereo

NJS782

Mono



Standard 6.35 mm Stereo Jack Plug to 2x Phono  
Plugs Screened Lead

A119F

0.2m

Single

A119AB

1m

Single

A119A

2m

Single

ZA119A

2m

Bulk Box of 50

A119AA

5m

Single

ZA119AA

5m

Bulk Box of 25



Standard 2x 6.35mm Mono Jack  
Plugs to 2x Phono Plugs Screened  
Lead

A114G

Length 1.5m

A119FS

Length 5m



A114AE

5m

Standard Phono Plug to Phono  
Socket Screened Lead 5m



Standard Phono  
Plug to 2x Stackable  
Phono Plugs  
Screened Lead 1.8m

1.8m

A118E



Standard Phono Plug to 2x Phono  
Socket Screened Lead

A114AF

Length 0.23m

A114AH

Length 1.5m



Standard Phono Plug to Phono Plug  
Screened Lead

A118A

Length 1.2m

A118B

Length 5m



Standard Phono Plug  
to 2x Phono Plugs  
Screened Lead

5m

A118D



**Standard 2x Phono Plugs to 2x Phono Plugs Screened Lead**



A114	1.2m	Single
ZA114	1.2m	Bulk Box of 50
A114AA	3m	Single
ZA114AA	3m	Bulk Box of 50
A114AC	5m	Single
ZA114AC	5m	Bulk Box of 50
A114AD	10m	Single
ZA114AD	10m	Bulk Box of 50



**Standard 2x Phono Plugs to 2x Phono Line Sockets Screened Lead**

A114A	1.2m	Single
ZA114A	1.2m	Bulk Box of 50
A114AB	3m	Single
A114AGA	5m	Single




**2x RCA Phono to 2x RCA Phono Plug Signal Cable**

- Hi Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors



NJS790	Length 0.5m
NJS791	Length 1m
NJS792	Length 3m
NJS793	Length 6m
NJS794	Length 10m



1.2m

**Standard 2x Right Angled Phono Plugs to 2x Right Angled Phono Plugs Screened Lead 1.2m**

A114B

**Premium 2x Gold Plated Phono Plugs to 2x Gold Plated Phono Plugs Screened Lead**

B050	0.5m
B051	1m
A114D	1.8m
B052	2m
B053	4m
B054	5m



0.8m

A114C

**Premium 2x Gold Plated Phono Plugs to 2x Gold Plated Phono Plugs Screened Lead 0.8m**

## SIGNAL Audio



Standard 2x Phono Plugs to 2x Stackable Phono Plugs Screened Lead 1.8m

1.8m

A114F



1.2m

Standard 2x Phono Plugs to 2x Phono Plugs Screened Lead With Earth 1.2m

A114E

Single

ZA114E


Bulk Box of 50



Standard 3x Phono Plugs to 3x Phono Plugs Screened Lead

3m


A114P



Standard 4x Phono Plugs to 4x Phono Plugs Screened Lead 1.2m

1.2m

A115



Standard 5 Pin DIN Plug to 2x Phono Plug Screened Lead

1.2m

A109



Standard 5 Pin Din Plug To 5 Pin Din Plug Screened Lead

A099

Length 1.2m

A099A

Length 3m

A099B

Length 5m



3.5mm Stereo Plug to 2 x Male XLR Signal Cable

- Hi Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

NJS773

Length 1.5m

NJS774

Length 3m



1x XLR Female to 2x XLR Male Splitter

- 1x XLR Female to 2x XLR Male Splitter
- Use in studios and live applications

G113NA


## SIGNAL Audio



### 1 XLR Male to 2 XLR Female Splitter

- 1x XLR Male to 2x XLR Female Splitter
- Use in studios and live applications

G113NB



### Standard 5 Core Screened Replacement Coiled Lead

G112

Length 1.8m

G112A

Length 3m

## SIGNAL Patch



### Standard 3 Pin XLR Line Socket to 3 Pin XLR Line Plug Screened Lead




### Standard Assorted Coloured 6.35mm Jack Plug to 6.35mm Jack Plug Screened Patch Leads (6)

G113CB

Length 0.3m

G113CC

Length 1m



### Standard Assorted Coloured 6.35mm Right Angled Jack Plug to 6.35mm Right Angled Jack Plug Screened Leads (6)

G030G

Length 0.3m

G030J

Length 0.6m



### Standard Right Angled 8 Pin Mini Din Plug to Right Angled 8 Pin Mini Din Plug Screened Lead 1m

1m

T118D



### Standard BNC Plug to BNC Plug CCTV Lead

1.2m

T107

## TV & VIDEO BNC



### Standard BNC Plug to Phono Plug Lead


1.2m

T109



Standard Coaxial  
Plug to Coaxial Plug  
TV and Video Lead  
White

T105L	1m	Single
ZT105L	1m	Bulk Box of 50
T105	2m	Single
T104	4m	Single
ZT104	4m	Bulk Box of 50
T104B	10m	Single
ZT104B	10m	Bulk Box of 25



Standard Coaxial  
Plug to Coaxial Plug  
TV and Video Lead  
Black


2m

T105D



Standard Right Angled Coaxial Plug  
to Straight Coaxial Plug White

T105PD	Length 2m
T105PE	Length 4m
T105PF	Length 10m




Standard Right Angled Coaxial Plug  
to Right Angled Coaxial Plug White

T105PA	Length 2m
T105PB	Length 4m
T105PC	Length 10m



Standard Right Angled Coaxial Plug  
to Straight Coaxial Plug Black

T105QD	Length 2m
T105QE	Length 4m
T105QF	Length 10m



Standard Right Angled Coaxial Plug  
to Right Angled Coaxial Plug Black

T105QA	Length 2m
T105QB	Length 4m
T105QC	Length 10m



Standard Digital Coaxial Plug to Coaxial Plug TV and Video Lead with Ferrite Rings White

T105DA	2m	Single
ZT105DA	2m	Bulk Box of 50
T105DE	5m	Single
ZT105DE	5m	Bulk Box of 50
T105DH	10m	Single
ZT105DH	10m	Bulk Box of 25



Standard Coaxial Plug to Coaxial Socket TV and Video Lead White

ZT105A	1.5m	Bulk Box of 50
T105A	2m	Single
T105G	3m	Single
T105B	4m	Single
ZT105B	4m	Bulk Box of 50
T105H	5m	Single
T105J	7.5m	Single
T105K	10m	Single
ZT105K	10m	Bulk Box of 25



Standard Digital Coaxial Plug to Coaxial Socket TV and Video Lead with Ferrite Rings White

T105DB	2m	Single
ZT105EC	4m	Bulk Box of 50



Standard Coaxial Plug to Coaxial Socket TV and Video Lead Black


T105AA	2m	Single
ZT105AA	2m	Bulk Box of 50
T105BA	4m	Single
ZT105BA	4m	Bulk Box of 50



Standard Coaxial Extension Kit Allowing Plug to Plug, Socket to Socket or Plug to Socket Combinations




TV & VIDEO  
F Connector



Standard F Type  
Plug to Coax Plug  
TV and Video Lead  
White

2m


T106



Standard F Type Plug to F Type Plug  
TV and Video Lead White

T114BB	Length 0.5m
T114BF	Length 1m
T114B	Length 2m
T114BG	Length 3m
T114BH	Length 5m
T114BJ	Length 10m

TV & VIDEO  
Display Port



Mini Display Port to HDMI Male 2M  
4K 60Hz


T115BEC	Length 2m
T115BED	Length 3m
T115BEE	Length 5m



USB Type C To DisplayPort Cable 4K 60Hz 1.5m  
• DisplayPort Latching Plug  
• 4K compatible

1.5m

T115BE



Display Port to HDMI Plug 4K  
• 4k ready  
• Connect any device with a DP port such as a laptop, desktop or graphics card to any HDMI enabled device such as a HD TV, projector or monitor

T115BDC	Length 2m
T115BDD	Length 3m
T115BDE	Length 5m



Display Port Male to HDMI  
Female Connector  
• Plug and play  
• Gold Plated Plug  
• DisplayPort Male  
• HDMI Standard Female

T115BY



**Display Port to HDMI Adapter / Converter 0.15m**

- Compact Design
- Features latches to ensure no accidental disconnection

150mm

T115BQ



**Mini DisplayPort to HDMI Female Adapter**

- Nickel plated contacts
- DisplayPort compliant
- Output: HDMI Type A (Female)
- Input: Mini DisplayPort (Male)

165mm

T115BZ



150mm

T115HA

**Standard HDMI Plug to 2 x HDMI Sockets Splitter Lead**

- Ideal for connecting TV equipment



**HDMI-A to HDMI-A Jack Adaptor With Pivot and Gold Plated Contacts**

T115PF




TV & VIDEO  
HDMI

A112K

**Electrovision Lightning Plug to HDMI Socket and 20W Fast Charging Lightning Socket Digital AV Adaptor with Pass Through Power**

- Supports up to 4K resolution, ensuring high-definition video and audio for an immersive viewing experience.
- Provides quick charging for your lightning-equipped devices.
- Features pass-through power, allowing you to charge your lightning-equipped device while using the HDMI output



**USB C 3.1 to HDMI Cable 4K, Resolution 3840 x 2160 @ 30Hz**

- 24K gold-plated corrosion resistant connectors
- Plug and Play, built-in advanced IC chip converts USB-C signal to HDMI signal
- Video resolutions up to 4K - 3840 x 2160 @30Hz

T115JBA	Length 1m
T115JBB	Length 1.5m
T115JBC	Length 2m
T115JBD	Length 3m



- Single

T115PG

**Electrovision Standard HDMI Female A to Mini HDMI Male Adaptor**



T115PH

**90 Degree HDMI Male to Female Adaptor**

## TV & VIDEO

### HDMI

#### USB C to HDMI Cable 4K @ 60Hz

- 24K gold-plated corrosion resistant connectors
- Plug and Play, built-in advanced IC chip converts USB-C signal to HDMI signal
- Video resolutions up to 4K - 3840 x 2160 @60Hz
- Input : USB Type-C Male



T115JCA	Length 1m
T115JCB	Length 1.5m
T115JCC	Length 2m
T115JCD	Length 3m

## TV & VIDEO

### HDMI 1.3



T115BGA

#### USB 3.0 A-Female to A-Female Adapter / Coupler

- Plug and Play Design
- Supports the latest version of USB3.0, also compatible with the USB2.0/1.1 version
- With high speed of upto 5Gbps, support USB 3.0 for maximum data transfer



T115BGB

#### USB 3.0 A-Male to A-Male Adapter / Coupler


- Plug and Play Design
- Supports the latest version of USB3.0, also compatible with the USB2.0/1.1 version
- With high speed of upto 5Gbps, support USB 3.0 for maximum data transfer



T115BGC


#### USB 3.0 A-Male to A-Female Adapter / Coupler

- Plug and Play Design
- Supports the latest version of USB3.0, also compatible with the USB2.0/1.1 version
- With high speed of upto 5Gbps, support USB 3.0 for maximum data transfer

HDMI to VGA Female  
1080P 0.2m Length

200mm

T115BF



200mm

T115BG

#### USB 3.0 OTG Type-C to A-Female Adapter / Converter

- Plug and Play Design
- Transfer data up to 5Gbps

T115BGD



#### USB-C 3.1 to HDMI Female

- 4k ready
- Connect devices with a USB-C port such as mobile phones and laptops to HDMI enabled devices such as HD TVs, monitors and projectors



## TV & VIDEO

### HDMI 1.4

Standard 1.4 Version HDMI to  
HDMI TV and Video Lead

T115AH

Length 3m

T115AS

Length 15m

T115AT

Length 20m

Standard 1.4 HDMI to Mini HDMI  
Lead. Contains HDMI Ethernet  
Channel (HEC). Compatible  
with 3D Video Formats

T115AN

Length 2m

T115AP

Length 3m

Premium Digital Screened HDMI to  
HDMI TV and Video Lead Black

- Supports full 1080p HD
- Ultra HDMI High Speed with Ethernet
- Metal Housing

5m

T115AQA

T115BK	Length 0.5m
T115BM	Length 2m
T115BN	Length 3m
T115BP	Length 5m
T115BS	Length 15m
T115BT	Length 20m

Standard HDMI 1.4 to HDMI TV and Video Lead Black

- Broadcasts quality digital video and audio
- Supports uncompressed audio/video signals
- Fully HDCP compliant to Provide highest level of signal quality


## TV & VIDEO

### HDMI 1.4




**Standard Straight HDMI 1.4  
to Angled HDMI Lead Black**

T115BU	Length 1m
T115BV	Length 2m
T115BW	Length 3m
T115BX	Length 5m



**Standard 1.4 Dual Pivoting  
HDMI to HDMI TV and  
Video Lead. Contains HDMI  
Ethernet Channel**


T115PA	Length 1m
T115PC	Length 2m



**Standard 1.4 Version HDMI to  
HDMI TV and Video Lead White**

- HDMI Version 1.4
- 24K Gold Plated
- Deep Colour 3D HDCP

T115BNA	Length 3m
T115BPA	Length 5m
T115BRA	Length 10m



**Electrovision Micro HDMI to  
HDMI 1.4**

- HD compliant up to 4k
- Ideal for use with a range of tablets, smartphones, TV's and PC's
- 3D TV Compatible


T115HM	Length 1m
T115HMA	Length 2m



**Ultra High Speed HDMI to HDMI Version 2 TV Lead With Ethernet, 3D and Full 4K Compatibility (60Hz)**

- 4K ready (Ideal for resolution up to 3840 x 2160p@60Hz)
- With Ethernet and 3K capability


T115BAAA	Length 0.5m
T115BAA	Length 1m
T115BAH	Length 1.5m
T115BAB	Length 2m
T115BAC	Length 3m
T115BAD	Length 5m
T115BAE	Length 10m
T115BAF	Length 15m
T115BAG	Length 20m



**HDMI 2.0 (4k) Male to HDMI 2 (4k) Socket**

- 4k ready
- Connect HD TVs, PCs and monitors to gaming systems such as Xbox, PS4 and PS5

T115BBB	Length 1m
T115BBBC	Length 2m
T115BBD	Length 3m
T115BBE	Length 5m



**Ultra High Speed HDMI to HDMI Version 2 TV Lead with Ethernet, 3D and Full 8K Compatibility (60Hz)**


- 8K ready (Ideal for resolution up to 7,680 x 4,320p@60Hz)
- With Ethernet and 3K capability

T115BHA	Length 0.5m
T115BHB	Length 1m
T115BHC	Length 1.5m
T115BHD	Length 2m
T115BHE	Length 3m

TV & VIDEO  
HDMI 2.1

- Ultra High Speed HDMI 8K Cable Version 2.1
- 10K ready, supports 8k and 4K
  - Connects TV to playstation/X Box/Blu Ray/ DVD and other devices

T115C	Length 0.5m
T115CA	Length 1m
T115CB	Length 2m



TV & VIDEO  
Phono



Premium Video Gold Plated  
Phono to Phono lead With  
75 Ohm Coax Cable

A115C	Length 1.5m
A115D	Length 2m



Standard Phono Plug to Phono Plug  
Video Lead

1.2m	T111
------	------

TV & VIDEO  
Scart



Premium Scart Plug to  
Scart Plug TV and Video Lead  
Audio and Video Circuits  
Connected

1.5m	T113D
------	-------



Standard Scart Plug  
to Scart Socket TV and Video  
Lead All Pins Connected

T113FC	1.5m
T113FE	5m

TV & VIDEO  
Scart



Standard Scart Plug to Scart  
Plug TV and Video Lead All Pins  
Connected

T113F	1.5m	Single
ZT113F	1.5m	Bulk Box of 25
T113FA	3m	Single
T113FB	5m	Single
T113FH	10m	Single



Standard Scart Plug to 3 Phono  
Plugs TV and Video Lead

1.5m

T113L



2 Way Scart Input  
Expander

T113Z



3 Way Scart Input  
Expander

T113V



5 Way Scart Input Expander

T113W

TV & VIDEO  
SVHS



Premium Gold Plated SVHS 4 Pin  
Plug to SVHS 4 Pin Plug TV and  
Video Lead

T118AA	2m
T118AE	3m
T118AF	5m
T118AG	10m



Standard 8 Pin Mini Din Plug To 2 x  
Phono Plugs Lead 3m

3m

T118

TV & VIDEO  
DIN



Standard SVHS 4 Pin Plug to SVHS  
4 Pin Plug TV and video Lead

2m

T118A

# CABLES & LEADS

OCT 2024

