

# CABLES & LEADS



## USB C TO USB A CABLE VERSION 3.1 GEN 2

- Achieve data transfer speeds of up to 10 Gbps (classed as super speed)

CODE	LENGTH
P288GA	0.3m
P288GB	0.5m
P288GC	1m
P288GD	1.5m
P288GE	2m



3m

## T115BMA ELECTROVISION USB TO 6.35MM MONO JACK GUITAR INSTRUMENT LEAD 3M BLACK



## CAT 8 SFTP RJ45 PATCH CABLE IN WHITE

CODE	LENGTH
P281KB	0.5m
P281KC	1m
P281KD	1.5m
P281KF	2m
P281KG	3m
P281KH	5m
P281KJ	7.5m
P281KL	10m
P281KN	20m

## COMPUTER

Firewire .....	1
USB .....	1
USB 3.0 .....	2
USB 3.1 .....	2

## LIGHTING

DMX .....	3
-----------	---

## MUSIC

Guitar .....	4
Microphone .....	6
Midi .....	8

## SOUND

Speaker .....	8
---------------	---

## SIGNAL

Adaptors .....	10
Audio .....	12
Patch .....	15

## NETWORK

Cat. 8 .....	15
Cat. 5 .....	16

## OPTICAL

Optical .....	17
---------------	----

## TV & VIDEO

BNC .....	18
Coax .....	18
Display Port .....	20
F Connector .....	21
HDMI .....	21
HDMI 1.3 .....	22
HDMI 1.4 .....	22
HDMI 2.0 .....	24
HDMI 2.1 .....	25
Phono .....	26
Scart .....	26
SVHS .....	27
DIN .....	27



**NJS** **REAN**  
NEW JERSEY SOUND REAN CONNECTORS

## LOUDSPEAKER CABLE WITH 2 X 2.5MM CABLE WITH REAN SPEAKON PLUGS

CODE	LENGTH
NJS750	1m
NJS751	2m
NJS752	6m
NJS753	10m
NJS754	15m
NJS755	20m



## DISPLAY PORT TO HDMI PLUG 4K

- 4k ready
- Connect any device with a DP port such as a laptop, desktop or graphics card to any HDMI enabled device such as a HD TV, projector or monitor

CODE	LENGTH
T115BDC	2m
T115BDD	3m
T115BDE	5m



## ULTRA HIGH SPEED HDMI 8K CABLE VERSION 2.1

- 10K ready, supports 8k and 4K
- Connects TV to playstation/X Box/ Blu Ray/ DVD and other devices

CODE	LENGTH
T115C	0.5m
T115CA	1m
T115CB	2m

VALID UNTIL 30<sup>TH</sup> NOVEMBER 2023

ISSUE 01

## FIREWIRE

Electrovision

**P288AG**  
FIREWIRE 6 PIN MALE  
TO 6 PIN MALE LEAD  
2M


2m

Electrovision

**P288AJ**  
FIREWIRE 4 PIN MALE  
TO 4 PIN MALE LEAD  
2M

2m

## USB

**T115DK**

**USB TO DC 5.5X2.1MM POWER CABLE SUPPLIED WITH 8 CONNECTORS - 1M CABLE**

- USB to DC 5.5x2.1mm Power Cable
- Supplied with a 1m cable
- Supplied with 8 connectors - 6.4 x 4.4mm/6.3 x 3.0mm/ 5.5 x 2.5mm/5.5 x 2.1mm/5.5 x 1.7mm/4.8 x 1.7mm/ 4.0 x 1.7mm/3.5 x 1.35mm

Electrovision

1m



## USB



Electrovision

**T115DE**  
A MICRO USB PLUG TO DC  
5.5X2.1 JACK SOCKET

**USB MALE A TO USB  
MALE B LEAD**

Electrovision



**USB MALE A TO USB  
FEMALE A LEAD**

Electrovision



CODE	LENGTH
<b>P288</b>	2m
<b>P288AA</b>	3m


CODE	LENGTH
<b>P288AB</b>	2m
<b>P288AC</b>	3m
<b>P288AD</b>	5m

Electrovision



**USB MALE A TO  
USB MINI B LEAD**

CODE	LENGTH
<b>P288AK</b>	2m
<b>P288BB</b>	5m



Electrovision

**P288AF**  
USB MALE A TO USB MALE B LEAD 3M



#### EAGLE USB A-MALE TO USB MICRO-B CABLE

- Versatile USB to Micro USB Adaptor Cable
- Compatible with a range of smartphones, external hard drives and tablets
- Constructed with tinned copper cable for durability

CODE	LENGTH
T115DA	1m
T115DB	2m
T115DC	3m
T115DD	5m



#### USB 2.0 TYPE C TO TYPE C CHARGE & SYNC CABLE 3 AMP

- Fast Charging and Syncing
- Reversible USB Type C with ABS shell
- Wide device compatibility
- 4 Convenient lengths
- High Quality Copper Cable

CODE	LENGTH
T115JAA	0.5m
T115JAB	1m
T115JAC	1.5m
T115JAD	2m



#### USB 3.0 A MALE TO USB 3.0 A MALE CABLE



#### USB 3.0 A MALE TO USB 3.0 B MALE CABLE



#### USB 3.0 A MALE TO USB 3.0 MICRO B MALE CABLE

- USB A Male to USB A Male 3.0 Cable
- Black Molded PVC
- Shell Nickel Plated

CODE	LENGTH
P288C	0.5m
P288CA	1m
P288CB	2m
P288CC	3m

- Designed for use with printers
- Fast data transfer
- Backwards compatible with versions 2.0 & 1.1

CODE	LENGTH
P288D	0.5m
P288DA	1m
P288DB	2m
P288DC	3m

- For use with a range of PC accessories
- Easy to use
- Fast data transfer up to 5gbps

CODE	LENGTH
P288E	0.5m
P288EA	1m
P288EB	2m
P288EC	3m

## USB 3.1



## Electrovision

## USB C TO USB A CABLE VERSION 3.1 GEN 2

- Connect USB C enabled devices to USB A enabled devices
- Version 3.1 Gen 2
- Achieve data transfer speeds of up to 10 Gbps (classed as super speed)
- Reversible USB C connector - connect first time every time
- High quality components


CODE	LENGTH
P288GA	0.3m
P288GB	0.5m
P288GC	1m
P288GD	1.5m
P288GE	2m

SEE PAGE 15 FOR  
NETWORK CABLES

## DMX



REAN CONNECTORS



## XLR TO XLR 3 PIN DMX CABLE

- Hi Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink/ Identification
- Nickel Plated Connectors

CODE	LENGTH
NJS730	1m
NJS731	3m
NJS732	5m
NJS733	10m



REAN CONNECTORS



## XLR TO XLR 5 PIN DMX CABLE

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

CODE	LENGTH
NJS734	1m
NJS735	3m
NJS736	5m
NJS737	10m





DMX 3 PIN XLR LINE  
PLUG TO 3 PIN XLR LINE  
SOCKET LIGHTING LEAD

CODE	LENGTH
G038VB	1.5m
G038VC	3m
G038VD	6m
G038VE	10m
G038VF	20m



DMX 5 PIN XLR TO 5 PIN XLR  
LIGHTING LEAD

CODE	LENGTH
G038VJA	6m
G038VKA	10m



G029  
STANDARD RIGHT ANGLED  
GUITAR LEAD WITH CURLY SCREENED CABLE  
6M

6m



STANDARD GUITAR LEAD WITH METAL JACK  
PLUGS AND CABLE PROTECTORS


- Ideal for connecting your guitar to FX/Amps
- Ideal for most electric guitars
- Quality screened cable
- 6.35mm mono jack/jack connectors

CODE	LENGTH
G032BA	3m
G032B	6m



STANDARD 6.35MM MONO JACK  
PLUG TO 6.35MM MONO JACK PLUG  
SCREENED LEAD

CODE	LENGTH
G030A	1m
G030	2m
G030B	6m



G032  
SOUNDLAB MONO STANDARD GUITAR  
LEAD WITH HEAVY DUTY METAL JACKS  
AND CABLE PROTECTORS 6M

6m



3m

G031  
STANDARD RIGHT  
ANGLED GUITAR  
LEAD WITH  
STRAIGHT CABLE  
3M



PREMIUM FLORESCENT COLOURED  
GUITAR LEAD 6M



CODE	COLOUR
G032C	Pink
G032D	Orange
G032E	Green



## GUITAR



REAN CONNECTORS


**MONO JACK TO MONO JACK GUITAR CABLE**

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink/ Identification
- Nickel Plated Connectors

CODE	LENGTH
NJS720	0.5m
NJS721	1.5m
NJS722	3m
NJS723	6m
NJS724	9m




REAN CONNECTORS

**MONO JACK TO MONO JACK RIGHT ANGLE GUITAR CABLE**

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

CODE	LENGTH
NJS725	3m
NJS726	6m



Electrovision

**3m**

**T115BMA**  
ELECTROVISION  
USB TO 6.35MM  
MONO JACK GUITAR  
INSTRUMENT LEAD  
3M BLACK



Electrovision

**3m**

**T115BMB**  
ELECTROVISION  
USB-C TO 6.35MM  
MONO JACK GUITAR  
LEAD 3M BLACK

**SoundLAB**

STANDARD UNBALANCED  
FLUORESCENT 3 PIN XLR TO 6.35MM  
JACK PLUG MICROPHONE LEAD

**6m**

CODE	COLOUR
G033E	Yellow
G033G	Green
G033F	Red

**6m****SoundLAB**

STANDARD FLUORESCENT XLR TO  
XLR MICROPHONE LEAD WITH  
METAL CONNECTORS 6M

CODE	COLOUR
G033H	Yellow
G033J	Red
G033K	Green


**SoundLAB**

STANDARD 3 PIN XLR PLUG TO XLR  
LINE SOCKET MICROPHONE LEAD 6M

**6m**

CODE	COLOUR
G113A	Black
G113G	Red

CODE	COLOUR
G113H	White
G113J	Blue
G113K	Yellow

**6m****SoundLAB**

STANDARD UNBALANCED 3 PIN XLR  
TO 6.35MM JACK PLUG MICROPHONE  
LEAD 6M


CODE	COLOUR
G113B	Black
G113C	Red
G113D	White
G113E	Blue
G113F	Yellow

**MORE MIC CABLES  
ON THE NEXT PAGE**

## MICROPHONE

**SoundLAB**

**G113AA**  
STANDARD 3 PIN XLR  
PLUG TO XLR LINE SOCKET  
MICROPHONE LEAD 20M

**20m****Electrovision**

**T115BKA**  
ELECTROVISION USB TO 3 PIN  
FEMALE XLR MICROPHONE  
LEAD 3M BLACK

**3m****Electrovision**

**T115BKB**  
ELECTROVISION USB-C TO 3  
PIN FEMALE XLR MICROPHONE  
LEAD 3M BLACK

**3m****NJS**  
NEW JERSEY SOUND


REAN CONNECTORS

CODE	LENGTH
NJS700	0.5m
NJS701	1.5m
NJS702	3m
NJS703	6m
NJS704	9m




**NJS NEW JERSEY SOUND XLR FEMALE  
TO XLR MALE MICROPHONE CABLE**

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

**NJS**  
NEW JERSEY SOUND

REAN CONNECTORS



**XLR FEMALE TO 6.35MM MONO JACK MICROPHONE  
CABLE**

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink/Identification
- Nickel Plated Connectors

CODE	LENGTH	TYPE
NJS705	1m	XLR female to 6.35mm mono jack
NJS706	6m	XLR female to 6.35mm mono jack
NJS707	9m	XLR female to 6.35mm mono jack
NJS705A	1m	XLR female to 6.35mm TRS jack





#### MALE XLR MALE TO 6.35MM MONO JACK MICROPHONE CABLE

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

CODE	LENGTH
NJS708	1m
NJS709	3m



#### Electrovision

#### PROFESSIONAL 5 PIN DIN TO 5 PIN DIN MIDI LEAD WITH SCREENED CABLE

CODE	LENGTH	COLOUR
G040AB	1.2m	White
G040	1.8m	Black
G040A	3m	Black
G040B	6m	Black



#### Electrovision

#### G040BB PROFESSIONAL 2M 5 PIN DIN PLUG TO 5 PIN DIN SOCKET MIDI LEAD WITH SCREENED CABLE

2m



#### SoundLAB

CODE	LENGTH
G038ZC	3m
G038ZD	4m
G038ZF	6m
G038ZG	10m

#### PREMIUM 2 POLE CONNECTOR TO 2 POLE CONNECTOR SPEAKER LEAD 2X 0.75MM CABLE EXTRA FLEX CABLE



#### SoundLAB

CODE	LENGTH
G038ZM	3m
G038ZN	4m
G038ZP	5m
G038ZR	10m

#### PREMIUM 2 POLE CONNECTOR TO 6.35MM MONO JACK PLUG CONNECTOR SPEAKER LEAD 2X 0.75MM CABLE

## SPEAKER



REAN CONNECTORS


**LOUDSPEAKER CABLE WITH  
2 X 1.5MM CABLE WITH REAN  
SPEAKON PLUGS**

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

CODE	LENGTH
NJS740	1m
NJS741	2m
NJS742	6m
NJS743	10m
NJS744	15m
NJS745	20m



REAN CONNECTORS


**LOUDSPEAKER CABLE WITH 2  
X 2.5MM CABLE WITH REAN  
SPEAKON PLUGS**

- Hi Quality Rean Connectors
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

CODE	LENGTH
NJS750	1m
NJS751	2m
NJS752	6m
NJS753	10m
NJS754	15m
NJS755	20m



CODE	LENGTH
G035AB	3m
G035AC	6m
G035AD	10m

SoundLAB

**STANDARD 6.35MM JACK PLUG  
TO 6.35MM JACK PLUG SPEAKER  
LEADS WITH METAL JACKS AND  
2X 0.75MM CABLE**

- Ideal for Light Duty Use



SoundLAB


**G038DB  
PROFESSIONAL 6.35MM  
MONO JACK PLUG TO 6.35MM  
MONO JACK PLUG SPEAKER  
LEAD WITH NEUTRIK JACKS  
AND 2X 1.5MM HIGHFLEX  
CABLE**


REAN CONNECTORS


**MONO JACK TO MONO JACK  
1.5MM SPEAKER CABLE**

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

CODE	LENGTH
NJS761	1m
NJS762	2m
NJS763	6m







**G113NA**  
**1X XLR FEMALE TO 2X XLR MALE SPLITTER**  
 • 1x XLR Female to 2x XLR Male Splitter  
 • Use in studios and live applications

SoundLAB



**3.5MM STEREO PLUG TO 2 X 6.35MM MONO PLUGS SIGNAL CABLE**  
 • High Quality Rean Connectors  
 • Braided Shield  
 • Free Cable Tidy  
 • Clear Heat-Shrink/ Identification  
 • Nickel Plated Connectors

CODE	LENGTH
NJS770	1.5m
NJS771	3m
NJS772	5m



**G113NB**  
**1 XLR MALE TO 2 XLR FEMALE SPLITTER**  
 • 1x XLR Male to 2x XLR Female Splitter  
 • Use in studios and live applications

SoundLAB



Electrovision

**STANDARD 6.35 MM STEREO JACK PLUG TO 3.5MM STEREO JACK PLUG SCREENED LEAD**

CODE	LENGTH
A119FWA	1.2m
A119FW	2m
A119FWB	5m



Electrovision

**A120BA**  
**STANDARD 2 X MONO 6.35MM JACK PLUGS 3.5MM STEREO JACK PLUG SCREENED LEAD**

1.2m



Electrovision 1.2m

**A119**  
**STANDARD 6.35 MM STEREO JACK PLUG TO 2X 6.35 MM STEREO JACK SOCKETS SCREENED LEAD**



Electrovision

**STANDARD 6.35 MM STEREO JACK PLUG TO 6.35 MM STEREO JACK PLUG SCREENED LEAD**

CODE	LENGTH
A119FYA	1.2m
A119FY	2m



Electrovision

**A120E**  
**STANDARD 6.35 MM STEREO JACK PLUG TO 2X 6.35 MM MONO JACK PLUGS SCREENED LEAD**

2m



**A120A**  
**HEADPHONE EXTENSION KIT**

- 3.5 mm Stereo jack plug to 3.5 mm stereo jack socket
- Adaptors: 6.35mm stereo plug to 3.5mm stereo socket, 3.5mm mono plug to 3.5mm stereo socket, 2.5mm mono plug to 3.5mm stereo socket, 3.5mm mono plug to 3.5mm stereo socket

Electrovision

6m

## ADAPTORS

Electrovision



**A120F**  
STANDARD 6.35 MM MONO JACK SOCKET TO  
2 X 6.35 MM MONO JACK PLUGS SCREENED  
LEAD

2m



STANDARD 6.35MM STEREO JACK  
PLUG TO 2X PHONO PLUGS SCREENED LEAD


CODE	LENGTH	PACK SIZE
A119F	0.2m	Single
A119AB	1m	Single
A119A	2m	Single
ZA119A	2m	Box of 50
A119AA	5m	Single
ZA119AA	5m	Box of 25



2m

Electrovision

**A119FA**  
STANDARD 6.35 MM MONO JACK  
PLUG TO 2X PHONO PLUGS SCREENED LEAD



STANDARD 2X  
6.35 MM MONO  
JACK PLUGS TO 2  
X PHONO PLUGS  
SCREENED LEAD

Electrovision

CODE	LENGTH
A114G	1.5m
A119FS	5m



**3.5MM STEREO PLUG TO 2 X RCA PHONO  
PLUGS SIGNAL CABLE**


- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

NJS  
NEW JERSEY SOUNDREAN<sup>®</sup>

REAN CONNECTORS



CODE	LENGTH
NJS775	1.5m
NJS776	3m
NJS777	5m



STANDARD 3.5 MM STEREO JACK PLUG TO  
2 X PHONO PLUGS LEAD

CODE	LENGTH	PACK SIZE
A121B	1.2m	Single
ZA121B	1.2m	Box of 50
A121BA	5m	Single



**6.35MM PLUG (STEREO OR  
MONO) TO 2 X RCA PHONO  
PLUGS SIGNAL CABLE**

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

NJS  
NEW JERSEY SOUNDREAN<sup>®</sup>

REAN CONNECTORS

CODE	TYPE
NJS781	Stereo
NJS782	Mono





### 3.5MM STEREO PLUG TO 2 X MALE XLR SIGNAL CABLE

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink/Identification
- Nickel Plated Connectors

CODE	LENGTH
NJS773	1.5m
NJS774	3m



STANDARD 3.5 MM MONO JACK PLUG TO 3.5MM MONO JACK PLUG LEAD - LENGTH 1.2M

CODE	LENGTH
A117	Single
ZA117	Box of 50



A118  
STANDARD 3.5 MM MONO JACK PLUG TO PHONO PLUG LEAD



STANDARD 3.5 MM STEREO JACK PLUG TO 3.5MM STEREO JACK SOCKET LEAD



STANDARD 3.5 MM STEREO JACK PLUG TO 3.5MM STEREO JACK PLUG LEAD

CODE	LENGTH	PACK SIZE
A117B	0.23m	Single
A117A	1.2m	Single
ZA117A	1.2m	Box of 50
A117AA	5m	Single
A117AD	10m	Single

CODE	LENGTH	PACK SIZE
A121AC	1.5m	Single
A121A	3m	Single
ZA121A	3m	Box of 50
A121AA	5m	Single
A121AB	10m	Single



G110  
STANDARD 6.35 MM MONO JACK PLUG TO 6.35MM MONO LINE SOCKET SCREENED LEAD

SoundLAB



### 3.5MM STEREO PLUG TO 3.5MM STEREO PLUG SIGNAL CABLE

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

CODE	LENGTH
NJS778	1.5m
NJS779	3m
NJS780	5m

## AUDIO



Electrovision

STANDARD 2X PHONO PLUGS TO 2X PHONO PLUGS SCREENED LEAD

CODE	LENGTH	PACK SIZE
A114	1.2m	Single
ZA114	1.2m	Box of 50
A114AA	3m	Single
ZA114AA	3m	Box of 50
A114AC	5m	Single
ZA114AC	5m	Box of 50
A114AD	10m	Single
ZA114AD	10m	Box of 50



Electrovision

STANDARD 2X PHONO PLUGS TO 2X PHONO PLUGS SCREENED LEAD

CODE	LENGTH	PACK SIZE
A114A	1.2m	Single
ZA114A	1.2m	Box of 50
A114AB	3m	Single
A114AG	5m	Single



Electrovision


STANDARD PHONO PLUG TO 2X PHONO SOCKET SCREENED LEAD

CODE	LENGTH
A114AF	0.23m
A114AH	1.5m



Electrovision

A114AE  
STANDARD PHONO PLUG TO PHONO SOCKET  
SCREENED LEAD 5M



Electrovision

1.2m

A114B  
STANDARD 2X RIGHT ANGLED PHONO  
PLUGS TO 2X RIGHT ANGLED PHONO PLUGS  
SCREENED LEAD 1.2M



Electrovision

0.8m

A114C  
PREMIUM 2X GOLD PLATED PHONO PLUGS TO  
2X GOLD PLATED PHONO PLUGS SCREENED  
LEAD 0.8M



Electrovision

PREMIUM 2X GOLD PLATED PHONO PLUGS TO  
2X GOLD PLATED PHONO PLUGS SCREENED  
LEAD

CODE	LENGTH
B050	0.5m
B051	1m
A114D	1.8m
B052	2m
B053	4m
B054	5m



Electrovision

1.2m

STANDARD 2X PHONO PLUGS TO 2X PHONO PLUGS SCREENED LEAD WITH EARTH 1.2M

CODE	PACK SIZE
A114E	Single
ZA114E	Box of 50






1.8m

Electrovision


**A114F**  
STANDARD 2X PHONO PLUGS TO 2 X  
STACKABLE PHONO PLUGS SCREENED LEAD  
1.8M



Electrovision

STANDARD PHONO PLUG TO  
PHONO PLUG SCREENED LEAD

CODE	LENGTH
A118A	1.2m
A118B	5m



Electrovision


STANDARD PHONO PLUG TO  
2X PHONO PLUGS SCREENED LEAD

CODE	LENGTH
A118C	1.2m
A118D	5m



Electrovision

**A114P**  
STANDARD 3X PHONO PLUGS TO 3X PHONO  
PLUGS SCREENED LEAD



Electrovision

1.2m

**A115**  
STANDARD 4X PHONO PLUGS  
TO 4X PHONO PLUGS SCREENED LEAD 1.2M



6m

Electrovision

**A120**  
STANDARD 6.35 MM STEREO JACK PLUG TO  
6.35 MM STEREO JACK SOCKET LEAD WITH  
CURLY CABLE SCREENED LEAD 6M



Electrovision

1.8m

**A118E**  
STANDARD PHONO PLUG TO 2X STACKABLE PHONO  
PLUGS SCREENED LEAD 1.8M

NJS  
NEW JERSEY SOUND

REAN CONNECTORS



**2X RCA PHONO TO 2X RCA PHONO PLUG  
SIGNAL CABLE**

- High Quality Rean Connectors
- Braided Shield
- Free Cable Tidy
- Clear Heat-Shrink / Identification
- Nickel Plated Connectors

CODE	LENGTH
NJS790	0.5m
NJS791	1m
NJS792	3m
NJS793	6m
NJS794	10m



SoundLAB

STANDARD 5 CORE SCREENED  
REPLACEMENT COILED LEAD

CODE	LENGTH
G112	1.8m
G112A	3m

## PATCH


SoundLAB



STANDARD 3 PIN XLR LINE SOCKET  
TO 3 PIN XLR LINE PLUG SCREENED  
LEAD 1M

1m

CODE	COLOUR
G113MA	Red
G113MB	Yellow
G113MC	Blue
G113MD	Black



SoundLAB

STANDARD ASSORTED COLOURED 6.35MM  
RIGHT ANGLED JACK PLUG TO 6.35MM RIGHT  
ANGLED JACK PLUG SCREENED LEADS (6)

CODE	LENGTH
G030G	0.3m
G030J	0.6m



SoundLAB

STANDARD ASSORTED COLOURED 6.35MM  
JACK PLUG TO 6.35MM JACK PLUG SCREENED  
PATCH LEADS (6)

CODE	LENGTH
G113CB	0.3m
G113CC	1m

## DIN



Electrovision


T118D  
STANDARD RIGHT ANGLED 8 PIN MINI DIN PLUG  
TO RIGHT ANGLED 8 PIN MINI DIN PLUG SCREENED  
LEAD 1M

1m

## CAT 8

**CAT 8 SFTP RJ45 PATCH  
CABLE IN WHITE**


- Ideal for use with computers, laptops, network printers, switches, routers, games consoles and modems
- Well suited to data centres and server rooms - upgrade your set up without the need for new equipment
- Gold plated connectors
- RJ45 connections on each end



Electrovision



CODE	LENGTH
P281KB	0.5m
P281KC	1m
P281KD	1.5m
P281KF	2m
P281KG	3m
P281KH	5m
P281KJ	7.5m
P281KL	10m
P281KN	20m



- Ideal for use with computers, laptops, network printers, switches, routers, games consoles and modems
- Gold plated connectors

Electrovision

**FLAT CAT 8 HIGH SPEED  
2000MHZ ETHERNET LAN  
CABLES**




CODE	LENGTH
P281LA	1m
P281LB	2m
P281LC	3m
P281LD	5m
P281LE	10m
P281LF	15m
P281LG	20m




**CAT 8 SFTP RJ45 PATCH CABLE IN BLACK**

- Ideal for use with computers, laptops, network printers, switches, routers, games consoles and modems
- Well suited to data centres and server rooms - upgrade your set up without the need for new equipment
- Gold plated connectors
- RJ45 connections on each end



CODE	LENGTH
P282KB	0.5m
P282KC	1m
P282KD	1.5m
P282KF	2m
P282KG	3m
P282KH	5m
P282KJ	7.5m
P282KL	10m
P282KN	20m



- Ideal for use with computers, laptops, network printers, switches, routers, games consoles and modems
- Gold plated connectors

**Electrovision****FLAT CAT 8 HIGH SPEED 2000MHZ ETHERNET LAN CABLE IN BLACK**


CODE	LENGTH
P282LA	1m
P282LB	2m
P282LC	3m
P282LD	5m
P282LE	10m
P282LF	15m
P282LG	20m

**Electrovision****PATCH CABLE RJ45**


- Gold plated connectors on each end
- CCA (Copper Clad Aluminium)
- T568B



CODE	LENGTH
P281FA	0.5m
P281FB	1m
P281FC	1.5m
P281FD	2m
P281FE	3m
P281FF	5m
P281FG	10m
P281FH	20m
P281FI	30m



SEE PAGE 21  
FOR HDMI  
LEADS



## CAT 5

**Electrovision****ELECTROVISION  
BLACK STRAIGHT  
RJ45 CABLE TO RIGHT  
ANGLED UPWARDS  
FACING RJ45 CABLE**

- Ideal for use with computers, laptops, network printers, switches, routers, games consoles and modems
- Two male RJ45 connections on each end (straight to right angled)
- Right Angled RJ45 offers a solution in limited space areas
- CCA (Copper Clad Aluminium)



CODE	LENGTH
P281G	0.5m
P281GA	1m
P281GB	2m
P281GC	3m
P281GD	5m

**Electrovision****STRAIGHT RJ45 CABLE  
TO RIGHT ANGLED  
DOWNWARDS FACING  
RJ45 CABLE**

- Ideal for use with computers, laptops, network printers, switches, routers, games consoles and modems
- Two male RJ45 connections on each end (straight to right angled)
- Right Angled RJ45 offers a solution in limited space areas
- CCA (Copper Clad Aluminium)



CODE	LENGTH
P281H	0.5m
P281HA	1m
P281HB	2m
P281HC	3m
P281HD	5m

**Electrovision****ELECTROVISION  
BLACK RIGHT ANGLED  
RJ45 CABLE TO RIGHT  
ANGLED RJ45 CABLE**

- Ideal for use with computers, laptops, network printers, switches, routers, games consoles and modems
- Two male RJ45 connections on each end (right angled to right angled)
- Right Angled RJ45 offers a solution in limited space areas
- CCA (Copper Clad Aluminium)



CODE	LENGTH
P281J	0.5m
P281JA	1m
P281JB	2m
P281JC	3m
P281JD	5m

## OPTICAL

**Electrovision****STANDARD 3.5 MM FIBRE  
OPTIC PLUG TO 3.5MM FIBRE  
OPTICAL PLUG OPTICAL LEAD  
BLACK**

CODE	LENGTH
A131A	0.55m
A131B	1m

**Electrovision****1m****A131G  
PREMIUM FIBRE OPTIC 2.15 MM CABLE 3.5MM  
FIBRE OPTIC PLUG TO 3.5 MM FIBRE OPTIC  
PLUG 1M****Electrovision****1m****A131ED  
DIGITAL OPTICAL CABLE - TOSLINK WITH GOLD  
PLATED CONTACTS 1M**

- Supplies digital optical audio
- Ideal for connecting soundbar to TV

**Electrovision****1m****A131F  
PREMIUM TOSLINK PLUG TO 3.5 MM FIBRE  
OPTIC PLUG FIBRE OPTICAL LEAD 1M****Electrovision****A131E  
PREMIUM TOSLINK PLUG TO TOSLINK PLUG  
FIBRE OPTICAL LEAD 1M****1m****Electrovision****A132BJ  
FIBRE OPTIC TOSLINK PLUG TO MINI  
PLUG ADAPTOR**

**1.2m****Electrovision**

**T107**  
STANDARD BNC PLUG TO  
BNC PLUG CCTV LEAD,  
1.2M

**1.2m****Electrovision**

**T109**  
STANDARD BNC PLUG TO  
PHONO PLUG LEAD



## COAX

**Electrovision**



STANDARD COAXIAL PLUG TO COAXIAL PLUG TV AND  
VIDEO LEAD WHITE

CODE	LENGTH	PACK SIZE
T105L	1m	Single
ZT105L	1m	Box of 50
T105	2m	Single
T104	4m	Single
ZT104	4m	Box of 50
T104B	10m	Single
ZT104B	10m	Box of 25

**Electrovision**


STANDARD COAXIAL PLUG TO COAXIAL SOCKET TV AND  
VIDEO LEAD BLACK

CODE	LENGTH	PACK SIZE
T105AA	2m	Single
ZT105AA	2m	Box of 50
T105BA	4m	Single
ZT105BA	4m	Box of 50

**Electrovision**

STANDARD COAXIAL PLUG TO COAXIAL SOCKET TV AND  
VIDEO LEAD WHITE

CODE	LENGTH	PACK SIZE
ZT105A	1.5m	Box of 50
T105A	2m	Single
T105G	3m	Single
T105B	4m	Single
ZT105B	4m	Box of 50
T105H	5m	Single
T105J	7.5m	Single
ZT105K	10m	Box of 25

**2m****Electrovision**

**T105C**  
STANDARD COAXIAL  
EXTENSION KIT

- Allowing the following alternatives: Coax plug to plug, coax socket to socket, coax plug to socket



## COAX



2m


Electrovision

**T105D**  
STANDARD COAXIAL PLUG TO COAXIAL PLUG  
TV AND VIDEO LEAD BLACK



STANDARD RIGHT ANGLED COAXIAL PLUG TO  
RIGHT ANGLED COAXIAL PLUG WHITE

CODE	LENGTH
T105PA	2m
T105PB	4m
T105PC	10m




STANDARD DIGITAL COAXIAL PLUG TO COAXIAL  
PLUG TV AND VIDEO LEAD WITH FERRITE  
RINGS WHITE

CODE	LENGTH	PACK SIZE
T105DA	2m	Single
ZT105DA	2m	Box of 50
T105DE	5m	Single
ZT105DE	5m	Box of 50
T105DH	10m	Single
ZT105DH	10m	Box of 25

Electrovision


STANDARD DIGITAL COAXIAL PLUG TO COAXIAL  
SOCKET TV AND VIDEO LEAD WITH FERRITE  
RINGS WHITE

CODE	LENGTH	PACK SIZE
T105DB	2m	Single
ZT105EC	4m	Box of 50



STANDARD RIGHT ANGLED COAXIAL PLUG TO  
STRAIGHT COAXIAL PLUG WHITE


CODE	LENGTH
T105PD	2m
T105PE	4m
T105PF	10m



**Electrovision**

**T106**  
STANDARD F TYPE PLUG TO COAX PLUG TV AND VIDEO LEAD WHITE

**2m**




**Electrovision**

STANDARD RIGHT ANGLED COAXIAL PLUG TO STRAIGHT COAXIAL PLUG BLACK

CODE	LENGTH
T105QD	2m
T105QE	4m
T105QF	10m

STANDARD RIGHT ANGLED COAXIAL PLUG TO RIGHT ANGLED COAXIAL PLUG BLACK

CODE	LENGTH
T105QA	2m
T105QB	4m
T105QC	10m



**Electrovision**

**T115BY**  
DISPLAY PORT MALE TO HDMI FEMALE CONNECTOR



**DISPLAY PORT TO HDMI PLUG 4K**

- Display Port to HDMI Plug
- 4k ready
- Connect any device with a DP port such as a laptop, desktop or graphics card to any HDMI enabled device such as a HD TV, projector or monitor
- Available in various lengths

CODE	LENGTH
T115BDC	2m
T115BDD	3m
T115BDE	5m

**Electrovision**

**T115BE**  
USB TYPE C TO DISPLAYPORT CABLE 4K 60HZ 1.5M

- DisplayPort Latching Plug
- 4K compatible

**1.5m**


DISPLAY PORT



**T115BQ**  
**DISPLAY PORT TO HDMI ADAPTER /**  
**CONVERTER 0.15M**  
• Compact Design  
• Features latches to ensure no accidental  
disconnection




F CONNECTOR



**STANDARD F TYPE PLUG TO F TYPE PLUG**  
**TV AND VIDEO LEAD WHITE**


CODE	LENGTH
T114BB	0.5m
T114BF	1m
T114B	2m
T114BG	3m
T114BH	5m
T114BJ	10m

HDMI



**USB C 3.1 TO HDMI CABLE 4K,**  
**RESOLUTION 3840 X 2160 @**  
**30HZ**

CODE	LENGTH
T115JBA	1m
T115JBB	1.5m
T115JBC	2m
T115JBD	3m



**USB C TO HDMI CABLE 4K @**  
**60HZ**

CODE	LENGTH
T115JCA	1m
T115JCB	1.5m
T115JCC	2m
T115JCD	3m



## HDMI

**Electrovision****T115BG**  
**USB-C 3.1 TO HDMI**  
**FEMALE**

- 4k ready
- Connect devices with a USB-C port such as mobile phones and laptops to HDMI enabled devices such as HD TVs, monitors and projectors



## HDMI 1.3

**Electrovision****3m****PREMIUM DIGITAL SCREENED 3M HDMI**  
**TO HDMI TV AND VIDEO LEAD BLACK 3M**

CODE	PACKAGING
<b>T115AB</b>	Bag & Header
<b>ZT115AB</b>	Unpackaged

**Electrovision****T115BF**  
**HDMI TO VGA**  
**FEMALE 1080P****0.2m**

## HDMI 1.4

**Electrovision****STANDARD 1.4 VERSION HDMI TO HDMI TV**  
**AND VIDEO LEAD**

CODE	LENGTH
<b>T115AF</b>	1m
<b>T115AH</b>	3m
<b>T115AS</b>	15m
<b>T115AT</b>	20m

**Electrovision****T115HA**  
**STANDARD HDMI PLUG TO 2 X HDMI SOCKETS**  
**SPLITTER LEAD**


- Ideal for connecting TV equipment

**SEE PAGE 26 FOR**  
**SCART LEADS**

## HDMI 1.4


**T115AQA**  
**PREMIUM DIGITAL SCREENED HDMI TO HDMI**  
**TV AND VIDEO LEAD BLACK**

- Supports full 1080p HD
- Stylish premium design
- Ultra HDMI High Speed with Ethernet
- Metal Housing



STANDARD 1.4 HDMI TO MINI  
HDMI LEAD. CONTAINS HDMI  
ETHERNET CHANNEL (HEC).  
COMPATIBLE WITH 3D VIDEO  
FORMATS

CODE	LENGTH
T115AM	1.5m
T115AN	2m
T115AP	3m


**STANDARD HDMI 1.4 TO HDMI TV AND VIDEO LEAD BLACK**

- Broadcasts quality digital video and audio
- Supports uncompressed audio/video signals
- Fully HDCP compliant to Provide highest level of signal quality
- Fully HDCP compliant to Provide highest level of signal quality
- Perfect for both high-definition video and standard video formats.


Electrovision

CODE	LENGTH
T115BK	0.5m
T115BL	1m
T115BLB	1.5m
T115BM	2m
T115BN	3m
T115BP	5m
T115BR	10m
T115BS	15m
T115BT	20m


**STANDARD 1.4 VERSION HDMI TO HDMI TV**  
**AND VIDEO LEAD WHITE**

- Connects to TVs, DVD Players, Games Consoles, BluRay Players etc. with a HDMI Connection
- HDMI Version 1.4
- 24K Gold Plated
- Deep Colour 3D HDCP

CODE	LENGTH
T115BNA	3m
T115BPA	5m
T115BRA	10m



Electrovision


STANDARD  
STRAIGHT  
HDMI 1.4 TO  
ANGLED HDMI  
LEAD BLACK

CODE	LENGTH
T115BU	1m
T115BV	2m
T115BW	3m
T115BX	5m

**Electrovision**

STANDARD 1.4 DUAL PIVOTING HDMI TO HDMI TV AND VIDEO LEAD. CONTAINS HDMI ETHERNET CHANNEL


CODE	LENGTH
<b>T115PA</b>	1.5m
<b>T115PC</b>	5m

**Electrovision**

**ELECTROVISION MICRO HDMI TO HDMI 1.4**

- Micro HDMI to HDMI 1.4 version Lead, HD compliant up to 4k
- Ideal for use with a range of tablets, smartphones, TV's and PC's
- 3D TV Compatible

CODE	LENGTH
<b>T115HM</b>	1m
<b>T115HMA</b>	2m


**Electrovision**

CODE	LENGTH
<b>T115BAAA</b>	0.5m
<b>T115BAA</b>	1m
<b>T115BAH</b>	1.5m
<b>T115BAB</b>	2m
<b>T115BAC</b>	3m
<b>T115BAD</b>	5m
<b>T115BAE</b>	10m
<b>T115BAF</b>	15m
<b>T115BAG</b>	20m

**ULTRA HIGH SPEED HDMI TO HDMI VERSION 2 TV LEAD WITH ETHERNET, 3D AND FULL 4K COMPATIBILITY (60HZ)**


- 4K ready (Ideal for resolution up to 3840 x 2160p@60Hz)
- With Ethernet and 3K capability
- Various Lengths available

## HDMI 2.0

**Electrovision****HDMI 2.0 (4K) MALE TO HDMI 2 (4K) SOCKET**

- HDMI Male to HDMI Socket
- 4k ready
- Connect HD TVs, PCs and monitors to gaming systems such as Xbox, PS4 and PS5

CODE	LENGTH
<b>T115BBB</b>	1m
<b>T115BBC</b>	2m
<b>T115BBD</b>	3m
<b>T115BBE</b>	5m

**Electrovision**

SEE PAGE 18 FOR  
COAX LEADS



CODE	LENGTH
<b>T115BHA</b>	0.5m
<b>T115BHB</b>	1m
<b>T115BHC</b>	1.5m
<b>T115BHD</b>	2m
<b>T115BHE</b>	3m

**ULTRA HIGH SPEED HDMI TO HDMI VERSION 2 TV LEAD WITH ETHERNET, 3D AND FULL 8K COMPATIBILITY (60HZ)**

- 8K ready (Ideal for resolution up to 7,680 x 4,320p@60Hz)
- With Ethernet and 3K capability


## HDMI 2.1

**ULTRA HIGH SPEED HDMI 8K CABLE VERSION 2.1****Electrovision**

- 10K ready, supports 8k and 4K
- Connects TV to playstation/X Box/Blu Ray/ DVD and other devices

CODE	LENGTH
<b>T115C</b>	0.5m
<b>T115CA</b>	1m
<b>T115CB</b>	2m




**Electrovision**
**MINI DISPLAY PORT TO HDMI MALE 4K 60HZ**

- 4k ready
- Connect any device with a DP port such as a laptop, iMac or Mac mini to any HDMI enabled device such as a HD TV, projector or monitor
- Available in various lengths

CODE	LENGTH
T115BEC	2m
T115BED	3m
T115BEE	5m


**165mm**
**Electrovision**
**T115BZ**  
**MINI DISPLAYPORT TO**  
**HDMI FEMALE ADAPTER**


## PHONO


**1.2m**
**Electrovision**
**T111**  
**STANDARD PHONO**  
**PLUG TO PHONO**  
**PLUG VIDEO LEAD**
**Electrovision**

**PREMIUM VIDEO GOLD PLATED PHONO TO**  
**PHONO LEAD WITH 75 OHM COAX CABLE**

CODE	LENGTH
A115D	1.5m
A115C	2m

## SCART


**Electrovision**
**T113D**  
**PREMIUM SCART PLUG TO SCART**  
**PLUG TV AND VIDEO LEAD AUDIO**  
**AND VIDEO CIRCUITS CONNECTED**
**1.5m**

**Electrovision**
**STANDARD SCART PLUG TO**  
**SCART PLUG TV AND VIDEO**  
**LEAD ALL PINS CONNECTED**


CODE	LENGTH	PACKING
T113F	1.5m	Bag & Header
T113FA	3m	Bag & Header
ZT113F	1.5m	Box of 25
T113FB	5m	Bag & Header
T113FH	10	Bag & Header

## SCART



**Electrovision**

STANDARD SCART PLUG TO SCART SOCKET TV AND VIDEO LEAD ALL PINS CONNECTED

CODE	LENGTH
T113FC	1.5m
T113FE	5m



**T113L**  
STANDARD SCART PLUG TO 3 PHONO PLUGS TV AND VIDEO LEAD

**Electrovision**

**1.5m**



**0.3m**

**Electrovision**

**T113Z**  
SCART INPUT EXPANDER  
• 0.3m lead  
• 2 scart sockets



**0.3m**

**Electrovision**

**T113V**  
SCART INPUT EXPANDER  
• 0.3m lead  
• 3 scart sockets



**0.3m**

**Electrovision**

**T113W**  
SCART INPUT EXPANDER  
• 0.3m lead  
• 5 scart sockets

## SVHS



**Electrovision**

PREMIUM GOLD PLATED SVHS 4 PIN PLUG TO SVHS 4 PIN PLUG TV AND VIDEO LEAD

CODE	LENGTH
T118AA	2m
T118AE	3m
T118AF	5m
T118AG	10m

## DIN



**Electrovision**

**T118**  
STANDARD 8 PIN MINI DIN PLUG TO 2X PHONO PLUGS LEAD 3M




**Electrovision**

**T118A**  
4 PIN MINI DIN PLUG TO 4 PIN MINI DIN PLUG TV AND VIDEO LEAD



[illegible]



STANDARD F TYPE PLUG TO F TYPE PLUG TV AND VIDEO LEAD WHITE

CODE	LENGTH
T114BB	0.5m
T114BF	1m
T114B	2m
T114BG	3m
T114BH	5m
T114BJ	10m



DMX 3 PIN XLR LINE PLUG TO 3 PIN XLR LINE SOCKET LIGHTING LEAD

CODE	LENGTH
G038VB	1.5m
G038VC	3m
G038VD	6m
G038VE	10m
G038VF	20m



3.5MM STEREO PLUG TO 2 X RCA PHONO PLUGS SIGNAL CABLE

- High Quality Rean Connectors
- Braided Shield

CODE	LENGTH
NJS775	1.5m
NJS776	3m
NJS777	5m



SoundLAB

G113NA

1X XLR FEMALE TO 2X XLR MALE SPLITTER


- Use in studios and live applications



NJS NEW JERSEY SOUND

XLR FEMALE TO XLR MALE MICROPHONE CABLE

CODE	LENGTH
NJS700	0.5m
NJS701	1.5m
NJS702	3m
NJS703	6m
NJS704	9m



RJ45 PATCH CABLE

- Gold plated connectors

CODE	LENGTH
P281FA	0.5m
P281FB	1m
P281FC	1.5m
P281FD	2m
P281FE	3m
P281FF	5m
P281FG	10m
P281FH	20m
P281FI	30m




1m

A131ED

DIGITAL OPTICAL CABLE - TOSLINK WITH GOLD PLATED CONTACTS 1M

- Supplies digital optical audio
- Ideal for connecting soundbar to TV



STANDARD DIGITAL COAXIAL PLUG TO COAXIAL PLUG TV AND VIDEO LEAD WITH FERRITE RINGS WHITE

CODE	LENGTH	PACK SIZE
T105DA	2m	Single
ZT105DA	2m	Box of 50
T105DE	5m	Single
ZT105DE	5m	Box of 50
T105DH	10m	Single
ZT105DH	10m	Box of 25



T115DE

A MICRO USB PLUG TO DC 5.5X2.1 JACK SOCKET

- Female 2.1mm jack socket to male micro USB plug
- Can be used for powering a device from a 5.5V 2.1mm DC power supply