



P003B Power Supply



**600 mA output
7 selectable output voltages
6 interchangeable DC adaptors
Meets the latest European Standards
for Efficiency and Standby power.**

IMPORTANT

Installer and Users please note:

These instructions should be read carefully and left with the user of the product for future reference.

BEFORE USE

Inspect the product including its cable and plug for any signs of damage. If the product is damaged, DO NOT use it, and contact your supplier immediately.

PRODUCT SAFETY

- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- Children should be supervised to ensure that they do not play with the appliance
- Not suitable for use in boats, caravans or similar locations.
- For indoor use only
- Do not use in bathrooms, or in wet locations.
- Do not place the lead beneath a carpet or rug.
- Do not use the appliance in locations where paint, petrol or other flammable liquids are used or stored.
- Do not place the lead beneath a carpet or rug.
- Do not allow the cable to hang over the edge of a table.
- Arrange the cable so that it cannot cause a trip hazard.

GENERAL SAFETY REQUIREMENTS

Domestic wiring must be tested periodically by a qualified electrician at least once every 10 years or at every change of occupancy.

For office and retail premises, and buildings such as village halls, the wiring must be inspected at least once every 5 years.

It is recommended that all building be fitted with smoke alarms (it is mandatory for new buildings).

INSTALLATION

Before use, check the following:

1. The **voltage rating** of the power supply must be the same as the voltage rating of the product to which it is connected.

Connecting a power supply to a product which requires LESS voltage than the rating of the power supply will damage the product.


A product which requires MORE voltage than the rating of the power supply is unlikely to work.


Use the rotary switch to select the correct voltage.

2. The **current rating** of the power supply must be equal to or greater than the current rating of the product to which it is connected.

Connecting a power supply to a product which requires MORE current than the rating of the power supply will damage the power supply.

3. The **polarity** must be correct. The polarity requirement of the product will be indicated, as to whether the centre pin is positive or negative.

 + This symbol means that the centre pin is positive.

 - This symbol means that the centre pin is negative

Select the correct power plug to fit the product. Ensure that the arrow on the power supply plug points to the correct symbol.

Connecting a product to a power supply with the wrong polarity will damage the product.

OPERATION

Plug the power supply into a 13 A mains socket. If using an extension lead, make sure that it is rated at 3 Amps or greater, and that it is fully unwound. Switch on the unit at the mains socket.

Plug the DC power plug into the power supply socket on the product.

PAT TESTING.

When used in an office environment, this product must be safety-tested yearly by a qualified electrician (PAT Tested) in order to comply with the Electricity at Work Regulations.

We recommend that it is PAT tested regularly when used in a domestic environment.

DISPOSAL AND RECYCLING

You must not dispose of this appliance with domestic household waste.

Most local authorities have specific collection system for appliances and disposal is free of charge to the end-user.

When replacing an existing appliance with a similar new appliance your retailer may take the old appliance for disposal.

TECHNICAL SPECIFICATION

Dimensions:	67×50×60 mm
Weight:	0.3 kg
Power supply:	230 V ~
Operating current:	50 mA
Output voltages:	3, 4.5, 5, 6, 7.5, 9, 12 V
Output current:	600 mA (maximum)

SERVICE WARRANTY

Electrovision guarantees the product free from defects in materials and workmanship for a period of twelve months.

Should this appliance be operated under conditions other than those recommended, at voltages other than the voltage indicated on the appliance, or any attempts made to service or modify the appliance, then the warranty will be rendered void.

The product you buy may sometimes differ slightly from illustrations. This warranty is in addition to, and does not affect, your statutory rights.

If you have any problems with this product, please call our Help Desk on (0845) 459 4816.

Electrovision Ltd.,
Lancots Lane, Sutton,
St. Helens, Merseyside.
WA9 3EX

website: www.electrovision.co.uk